ADDISON
WESLEY
DATA &
ANALYTICS
SERIES



# BAYESIAN METHODS Hackers

Probabilistic Programming and Bayesian Inference

## Bayesian Methods for Hackers

### Bayesian Methods for Hackers: Probabilistic Programming and Bayesian Inference

### **Table of Contents**

C	$\cap$	n	te	n	te
٠,	w		1		1.

Foreword

Preface

Acknowledgments

About the Author

- 1 The Philosophy of Bayesian Inference
  - 1.1 Introduction
    - 1.1.1 The Bayesian State of Mind
    - 1.1.2 Bayesian Inference in Practice
    - 1.1.3 Are Frequentist Methods Incorrect?
    - 1.1.4 A Note on Big Data
  - 1.2 Our Bayesian Framework
    - 1.2.1 Example: Mandatory Coin-Flip
    - 1.2.2 Example: Librarian or Farmer?
  - 1.3 Probability Distributions
    - 1.3.1 Discrete Case
    - 1.3.2 Continuous Case
    - 1.3.3 But What Is ?
  - 1.4 Using Computers to Perform Bayesian Inference for Us
    - 1.4.1 Example: Inferring Behavior from Text-Message Data
    - 1.4.2 Introducing Our First Hammer: PyMC



- 1.4.3 Interpretation
- 1.4.4 What Good Are Samples from the Posterior, Anyway?
- 1.5 Conclusion
- 1.6 Appendix
  - 1.6.1 Determining Statistically if the Two s Are Indeed Different?
  - 1.6.2 Extending to Two Switchpoints
- 1.7 Exercises
  - 1.7.1 Answers
- 1.8 References

### 2 A Little More on PyMC

- 2.1 Introduction
  - 2.1.1 Parent and Child Relationships
  - 2.1.2 PyMC Variables
  - 2.1.3 Including Observations in the Model
  - 2.1.4 Finally...

### 2.2 Modeling Approaches

- 2.2.1 Same Story, Different Ending
- 2.2.2 Example: Bayesian A/B Testing
- 2.2.3 A Simple Case
- 2.2.4 A and B Together
- 2.2.5 Example: An Algorithm for Human Deceit
- 2.2.6 The Binomial Distribution
- 2.2.7 Example: Cheating Among Students
- 2.2.8 Alternative PyMC Model
- 2.2.9 More PyMC Tricks
- 2.2.10 Example: Challenger Space Shuttle Disaster
- 2.2.11 The Normal Distribution
- 2.2.12 What Happened the Day of the Challenger Disaster?
- 2.3 Is Our Model Appropriate?



- 2.3.1 Separation Plots
- 2.4 Conclusion
- 2.5 Appendix
- 2.6 Exercises
  - 2.6.1 Answers
- 2.7 References

### 3 Opening the Black Box of MCMC

- 3.1 The Bayesian Landscape
  - 3.1.1 Exploring the Landscape Using MCMC
  - 3.1.2 Algorithms to Perform MCMC
  - 3.1.3 Other Approximation Solutions to the Posterior
  - 3.1.4 Example: Unsupervised Clustering Using a Mixture Model
  - 3.1.5 Dont Mix Posterior Samples
  - 3.1.6 Using MAP to Improve Convergence
- 3.2 Diagnosing Convergence
  - 3.2.1 Autocorrelation
  - 3.2.2 Thinning
  - 3.2.3 pymc.Matplot.plot()
- 3.3 Useful Tips for MCMC
  - 3.3.1 Intelligent Starting Values
  - 3.3.2 Priors
  - 3.3.3 The Folk Theorem of Statistical Computing
- 3.4 Conclusion
- 3.5 Reference
- 4 The Greatest Theorem Never Told
  - 4.1 Introduction
  - 4.2 The Law of Large Numbers
    - 4.2.1 Intuition



- 4.2.2 Example: Convergence of Poisson Random Variables
- 4.2.3 How Do We Compute Var(Z)?
- 4.2.4 Expected Values and Probabilities
- 4.2.5 What Does All This Have to Do with Bayesian Statistics?
- 4.3 The Disorder of Small Numbers
  - 4.3.1 Example: Aggregated Geographic Data
  - 4.3.2 Example: Kaggles U.S. Census Return Rate Challenge
  - 4.3.3 Example: How to Sort Reddit Comments
  - 4.3.4 Sorting!
  - 4.3.5 But This Is Too Slow for Real-Time!
  - 4.3.6 Extension to Starred Rating Systems
- 4.4 Conclusion
- 4.5 Appendix
  - 4.5.1 Derivation of Sorting Comments Formula
- 4.6 Exercises
  - 4 6 1 Answers
- 4.7 References

### 5 Would You Rather Lose an Arm or a Leg?

- 5.1 Introduction
- 5.2 Loss Functions
  - 5.2.1 Loss Functions in the Real World
  - 5.2.2 Example: Optimizing for the Showcase on The Price Is Right
- 5.3 Machine Learning via Bayesian Methods
  - 5.3.1 Example: Financial Prediction
  - 5.3.2 Example: Kaggle Contest on Observing Dark Worlds
  - 5.3.3 The Data
  - 5.3.4 Priors
  - 5.3.5 Training and PyMC Implementation
- 5.4 Conclusion



### 5.5 References

### 6 Getting Our Priorities Straight

- 6.1 Introduction
- 6.2 Subjective versus Objective Priors
  - 6.2.1 Objective Priors
  - 6.2.2 Subjective Priors
  - 6.2.3 Decisions, Decisions . . .
  - 6.2.4 Empirical Bayes

### 6.3 Useful Priors to Know About

- 6.3.1 The Gamma Distribution
- 6.3.2 The Wishart Distribution
- 6.3.3 The Beta Distribution

### 6.4 Example: Bayesian Multi-Armed Bandits

- 6.4.1 Applications
- 6.4.2 A Proposed Solution
- 6.4.3 A Measure of Good
- 6.4.4 Extending the Algorithm

### 6.5 Eliciting Prior Distributions from Domain Experts

- 6.5.1 Trial Roulette Method
- 6.5.2 Example: Stock Returns
- 6.5.3 Pro Tips for the Wishart Distribution 184
- 6.6 Conjugate Priors
- 6.7 Jeffreys Priors
- 6.8 Effect of the Prior as N Increases
- 6.9 Conclusion
- 6.10 Appendix
  - 6.10.1 Bayesian Perspective of Penalized Linear Regressions
  - 6.10.2 Picking a Degenerate Prior



- 6.11 References
- 7 Bayesian A/B Testing
  - 7.1 Introduction
  - 7.2 Conversion Testing Recap
  - 7.3 Adding a Linear Loss Function
    - 7.3.1 Expected Revenue Analysis
    - 7.3.2 Extending to an A/B Experiment
  - 7.4 Going Beyond Conversions: t-test
    - 7.4.1 The Setup of the t-test
  - 7.5 Estimating the Increase
    - 7.5.1 Creating Point Estimates
  - 7.6 Conclusion
  - 7.7 References

### Glossary

- Α
- В
- C
- D
- Ε
- F
- G
- L
- Μ
- Ο
- P S
- Т

W Index

