



Implementing Cisco IP Routing (ROUTE)

Foundation Learning Guide

CCNP ROUTE 300-101



Implementing Cisco IP Routing (ROUTE) Foundation Learning Guide

Diane Teare

Bob Vachon

Rick Graziani

Cisco Press

800 East 96th Street

Indianapolis, IN 46240 USA

Implementing Cisco IP Routing (ROUTE) Foundation Learning Guide: (CCNP ROUTE 300-101)

Table of Contents

Contents

Introduction

Chapter 1 Basic Network and Routing Concepts

Differentiating Routing Protocols

- Enterprise Network Infrastructure

- Role of Dynamic Routing Protocols

- Choosing a of Dynamic Routing Protocols

- IGP versus EGP

- Types of Routing Protocols

- Convergence

- Route Summarization

- Route Protocol Scalability

Understanding Network Technologies

- Traffic Types

- IPv6 Address Types

- ICMPv6 Neighbor Discovery

- Network Types

- NBMA Networks

- Routing Over the Internet

Connecting Remote Locations with Headquarters

- Principles of Static Routing

- Configuring an IPv4 Static Route

Table of Contents

Configuring a Static Default Route

Basic PPP Overview

PPP Authentication Overview

PPPoE

Basic Frame Relay Overview

VPN Connectivity Overview

MPLS-based VPNs

Tunneling VPNs

Hybrid VPNs

Routing Across MPLS VPNs

Routing Over GRE Tunnel

Dynamic Multipoint Virtual Private Network

Multipoint GRE

NHRP

IPsec

Routing and TCP/IP Operations

MSS, Fragmentation, and PMTUD

IPv4 Fragmentation and PMTUD

Bandwidth Delay Product

TCP Starvation

Latency

ICMP Redirect

Implementing RIPng

RIP Overview

RIPv2 Overview

Configuring RIPng

Basic RIPng Configuration

Propagating a Default Route

Investigating the RIPng Database

Summary

Table of Contents

Review Questions

Chapter 2 EIGRP Implementation

Establishing EIGRP Neighbor Relationships

EIGRP Features

EIGRP Features

EIGRP Operation Overview

Configuring and Verifying Basic EIGRP for IPv4

Manipulating EIGRP Timers

EIGRP Neighbor Relationship over Frame Relay

Establishing EIGRP over Layer 3 MPLS VPN

Establishing EIGRP over Layer 2 MPLS VPN

Building the EIGRP Topology Table

Building and Examining the EIGRP Topology Table

Choosing the Best Path

Exchange of Routing Knowledge in EIGRP

EIGRP Metric

EIGRP Metric Calculation

EIGRP Wide Metrics

EIGRP Metric Calculation Example

EIGRP Metric Calculation Example

EIGRP Path Calculation Example

Optimizing EIGRP Behavior

EIGRP Queries

EIGRP Stub Routers

Configuring EIGRP Stub Routing

EIGRP Stub Options

Stuck in Active

Reducing Query Scope by Using Summary Routes

Configuring EIGRP Summarization

Table of Contents

Determining the Summary Route

Obtaining Default Route

Load Balancing with EIGRP

Configuring EIGRP Load Balancing

EIGRP Load Balancing

EIGRP Load Balancing Across Unequal-Metric Paths

Configuring EIGRP for IPv6

Overview of EIGRP for IPv6

Configuring and Verifying EIGRP for IPv6

EIGRP for IPv6 Configuration

Determining the IPv6 Summary Route

Named EIGRP Configuration

Introduction to Named EIGRP Configuration

Configuring Named EIGRP

Address Families

EIGRP for IPv4 Address Family

EIGRP for IPv6 Address Family

Named EIGRP Configuration Modes

Classic Versus Named EIGRP Configuration

Summary

Review Questions

Chapter 3 OSPF Implementation

Establishing OSPF Neighbor Relationships

OSPF Features

OSPF Operation Overview

Hierarchical Structure of OSPF

Design Restrictions of OSPF

OSPF Message Types

Basic OSPF Configuration

Table of Contents

- Optimizing OSPF Adjacency Behavior
- Using OSPF Priority in the DR/BDR Election
- OSPF Behavior in NBMA Hub-and-Spoke Topology
- The Importance of MTU
- Manipulating OSPF Timers
- OSPF Neighbor Relationship over Point-to-Point Links
- OSPF Neighbor Relationship over Layer 3 MPLS VPN
- OSPF Neighbor Relationship over Layer 2 MPLS VPN
- OSPF Neighbor States
- OSPF Network Types
- Configuring Passive Interfaces

Building the Link-State Database

- OSPF LSA Types
- Examining the OSPF Link-State Database
- OSPF Link-State Database
- OSPF Type 2 Network LSA
- OSPF Type 3 Summary LSA
- OSPF Type 4 ASBR Summary LSA
- OSPF Type 5 External LSA
- Periodic OSPF Database Changes
- Exchanging and Synchronizing LSDBs
- Synchronizing the LSDB on Multiaccess Networks
- Running the SPF Algorithm
- Configuring OSPF Path Selection
- OSPF Path Selection
- OSPF Best Path Calculation
- Default OSPF Costs
- Calculating the Cost of Intra-Area Routes
- Calculating the Cost of Interarea Routes
- Selecting Between Intra-Area and Interarea Routes

Table of Contents

Optimizing OSPF Behavior

- OSPF Route Summarization
- Benefits of Route Summarization
- Configuring OSPF Route Summarization
- Summarization on ABRs
- Summarization on ASBRs
- OSPF Virtual Links
- Configuring OSPF Virtual Links
- Configuring OSPF Stub Areas
- OSPF Stub Areas
- OSPF Totally Stubby Areas
- Cost of the Default Route in a Stub Area
- The default-information originate Command
- Other Stubby Area Types

OSPFv3

- Configuring OSPFv3
- Implementing OSPFv3
- OSPFv3 for IPv4 and IPv6
- Configuring Advanced OSPFv3
- OSPFv3 Caveats

Summary

Review Questions

Chapter 4 Manipulating Routing Updates

Using Multiple IP Routing Protocols on a Network

- Why Run Multiple Routing Protocols?
- Running Multiple Routing Protocols
- Administrative Distance
- Multiple Routing Protocols Solutions

Implementing Route Redistribution

Table of Contents

Defining Route Redistribution

Planning to Redistribute Routes

Redistributing Routes

Seed Metrics

Default Seed Metrics

Configuring and Verifying Basic Redistribution in IPv4 and IPv6

Redistributing OSPFv2 Routes into the EIGRP Routing Domain

Redistributing OSPFv3 Routes into the EIGRP for IPv6 Routing Domain

Redistributing EIGRP Routes into the OSPFv2 Routing Domain

Redistributing EIGRP for IPv6 Routes into the OSPFv3 Routing Domain

Types of Redistribution Techniques

One-Point Redistribution

Multipoint Redistribution

Redistribution Problems

Preventing Routing Loops in a Redistribution Environment

Verifying Redistribution Operation

Controlling Routing Update Traffic

Why Filter Routes?

Route Filtering Methods

Using Distribute Lists

Configuring Distribute Lists

Distribute List and ACL Example

Using Prefix Lists

Prefix List Characteristics

Configuring Prefix Lists

Distribute List and Prefix List Example

Prefix List Examples

Verifying Prefix Lists

Manipulating Redistribution Using ACLs, Prefix Lists, and Distribute Lists

Using Route Maps

Table of Contents

Understanding Route Maps

Route Map Applications

Configuring Route Maps

Route Map Match and Set Statements

Configuring Route Redistribution Using Route Maps

Using Route Maps with Redistribution

Manipulating Redistribution Using Route Maps

Mutual Redistribution without Route Filtering

Mutual Redistribution with Route Maps

Change Administrative Distance to Enable Optimal Routing

Manipulating Redistribution Using Route Tagging

Caveats of Redistribution

Summary

References

Review Questions

Chapter 5 Path Control Implementation

Using Cisco Express Forwarding Switching

Control and Data Plane

Cisco Switching Mechanisms

Process and Fast Switching

Cisco Express Forwarding

Analyzing Cisco Express Forwarding

Verify the Content of the CEF Tables

Enable and Disable CEF by Interface and Globally

Understanding Path Control

The Need for Path Control

Implementing Path Control Using Policy-Based Routing

PBR Features

Steps for Configuring PBR

Table of Contents

- Configuring PBR
- Verifying PBR
- Configuring PBR Example
- Implementing Path Control Using Cisco IOS IP SLAs
- PBR and IP SLA
- IP SLA Features
- Steps for Configuring IP SLAs
- Verifying Path Control Using IOS IP SLAs
- Configuring IP SLA Example
- Configuring PBR and IP SLA Example

Summary

References

Review Questions

Chapter 6 Enterprise Internet Connectivity

Planning Enterprise Internet Connectivity

- Connecting Enterprise Networks to an ISP
- Enterprise Connectivity Requirements
- ISP Redundancy
- Public IP Address Assignment
- The Internet Assigned Numbers Authority
- Regional Internet Registries
- Public IP Address Space
- Autonomous System Numbers

Establishing Single-Homed IPv4 Internet Connectivity

- Configuring a Provider-Assigned IPv4 Address
- DHCP Operation
- Obtaining a Provider-Assigned IPv4 Address with DHCP
- Configuring a Router as a DHCP Server and DHCP Relay Agent
- NAT

Table of Contents

Configuring Static NAT

Configuring Dynamic NAT

Configuring PAT

Limitations of NAT

NAT Virtual Interface

Configuring NAT Virtual Interface

Verifying NAT Virtual Interface

Establishing Single-Homed IPv6 Internet Connectivity

Obtaining a Provider-Assigned IPv6 Address

Manual Assignment

Configuring Basic IPv6 Internet Connectivity

Stateless Address Autoconfiguration

DHCPv6 Operation

Stateless DHCPv6

Stateful DHCPv6

DHCPv6 Prefix Delegation

NAT for IPv6

NAT64

NPTv6

IPv6 ACLs

IPv6 ACL Characteristics

Configuring IPv6 ACLs

Securing IPv6 Internet Connectivity

Improving Internet Connectivity Resilience

Drawbacks of a Single-Homed Internet Connectivity

Dual-Homed Internet Connectivity

Dual-Homed Connectivity Options

Configuring Best Path for Dual-Homed Internet Connectivity

Multihomed Internet Connectivity

Summary

Table of Contents

References

Review Questions

Chapter 7 BGP Implementation

BGP Terminology, Concepts, and Operation

BGP Use Between Autonomous Systems

Comparison with Other Scalable Routing Protocols

BGP Path Vector Characteristics

BGP Characteristics

BGP Tables

BGP Message Types

Open and Keepalive Messages

Update Messages

Notification Messages

When to Use BGP

When Not to Use BGP

Implementing Basic BGP

BGP Neighbor Relationships

External BGP Neighbors

Internal BGP Neighbors

iBGP on All Routers in a Transit Path

Basic BGP Configuration Requirements

Entering BGP Configuration Mode

Defining BGP Neighbors and Activating BGP Sessions

Basic BGP Configuration and Verification

Configuring and Verifying an eBGP Session

Configuring and Verifying an iBGP Session

Advertising Networks in BGP and Verifying That They Are Propagated

Using the Next-Hop-Self Feature

Understanding and Troubleshooting BGP Neighbor States

Table of Contents

BGP Session Resilience

Sourcing BGP from Loopback Address

eBGP Multihop

Resetting BGP Sessions

BGP Attributes and the Path-Selection Process

BGP Path Selection

BGP Path-Selection Process

The Path-Selection Decision Process with a Multihomed Connection

BGP Attributes

Well-Known Attributes

Optional Attributes

Defined BGP Attributes

The AS-Path Attribute

The Next-Hop Attribute

The Origin Attribute

The Local-Preference Attribute

The Community Attribute

The MED Attribute

The Weight Attribute (Cisco Only)

Changing the Weight for All Updates from a Neighbor

Changing the Weight Using Route Maps

Influencing BGP Path Selection

Changing the Weight

Changing Local Preference

Setting the AS-Path

Controlling BGP Routing Updates

Filtering BGP Routing Updates

BGP Filtering Using Prefix Lists

BGP Filtering Using AS-Path Access Lists

BGP Filtering Using Route Maps

Table of Contents

Filtering Order

Clearing the BGP Session

BGP Peer Groups

Peer Group Operation

Peer Group Configuration

Peer Group Configuration Example

Implementing BGP for IPv6 Internet Connectivity

MP-BGP Support for IPv6

Exchanging IPv6 Routes over an IPv4 Session

Exchanging IPv6 Routes over an IPv6 Session

BGP for IPv6 Configuration and Verification

Initial State of Routers

Enable eBGP IPv6 Route Exchange

Enable iBGP IPv6 Route Exchange

Comparing IPv4 to Dual (IPv4/IPv6) BGP Transport

BGP Filtering Mechanisms for IPv6

IPv6 Prefix List Filtering

IPv6 Path Selection with BGP Local Preference

Summary

References

Review Questions

Chapter 8 Routers and Routing Protocol Hardening

Securing the Management Plane on Cisco Routers

Securing the Management Plane

Router Security Policy

Encrypted Passwords

Use Strong Passwords

Encrypting Passwords

Authentication, Authorization, Accounting

Table of Contents

RADIUS and TACACS+ Overview
Enabling AAA and Local Authentication
Enabling AAA RADIUS Authentication with Local User for Backup
Enabling AAA TACACS+ Authentication with Local User for Backup
Configuring Authorization and Accounting
Limitations of TACACS+ and RADIUS
Use SSH Instead of Telnet
Securing Access to the Infrastructure Using Router ACLs
Implement Unicast Reverse Path Forwarding
uRPF in an Enterprise Network
uRPF Examples
Enabling uRPF
Implement Logging
Implementing Network Time Protocol
NTP Modes
Enabling NTP
Securing NTP
NTP Versions
NTP in IPv6 Environment
Simple NTP
Implementing SNMP
SNMPv3
Enabling SNMPv3
Verifying SNMPv3
Configuration Backups
The archive Command
Using SCP
Enabling SCP on a Router
Disabling Unused Services
Conditional Debugging

Table of Contents

Enabling Conditional Debugging

Routing Protocol Authentication Options

The Purpose of Routing Protocol Authentication

Plain-Text Authentication

Hashing Authentication

Time-Based Key Chains

Key Chain Specifics

Authentication Options with Different Routing Protocols

Configuring EIGRP Authentication

EIGRP Authentication Configuration Checklist

Configuring EIGRP Authentication

Configure EIGRP MD5 Authentication Mode

Configure EIGRP Key-Based Routing Authentication

Configuring EIGRP for IPv6 Authentication

Configure EIGRP for IPv6 MD5 Authentication Mode

Configuring Named EIGRP Authentication

Configuring OSPF Authentication

OSPF Authentication

OSPF MD5 Authentication

Configure OSPF MD5 Authentication

Configure OSPF MD5 Authentication on Interfaces

Configure OSPF MD5 Authentication in an Area

OSPFv2 Cryptographic Authentication

Configuring OSPFv2 Cryptographic Authentication

Configure OSPFv2 Cryptographic Authentication Example

OSPFv3 Authentication

Configuring OSPFv3 Authentication

Configuring OSPFv3 Authentication on an Interface Example

Configuring OSPFv3 Authentication in an Area Example

Configuring BGP Authentication

Table of Contents

BGP Authentication Configuration Checklist

BGP Authentication Configuration

BGP for IPv6 Authentication Configuration

Implementing VRF-Lite

VRF and VRF-Lite

Enabling VRF

Easy Virtual Network

Summary

References

Review Questions

Appendix A: Answers to End of Chapter Review Questions

Chapter 1

Chapter 2

Chapter 3

Chapter 4

Chapter 5

Chapter 6

Chapter 7

Chapter 8

Appendix B: IPv4 Supplement

IPv4 Addresses and Subnetting Job Aid

Decimal-to-Binary Conversion Chart

IPv4 Addressing Review

Converting IP Addresses Between Decimal and Binary

Determining an IP Address Class

Private Addresses

Extending an IP Classful Address Using a Subnet Mask

Calculating a Subnet Mask

Table of Contents

Calculating the Networks for a Subnet Mask

Using Prefixes to Represent a Subnet Mask

IPv4 Access Lists

IP Access List Overview

IP Standard Access Lists

Wildcard Masks

Access List Configuration Tasks

IP Standard Access List Configuration

Implicit Wildcard Masks

Configuration Principles

Standard Access List Example

Location of Standard Access Lists

IP Extended Access Lists

Extended Access List Processing

Extended IP Access List Configuration

Extended Access List Examples

Location of Extended Access Lists

Time-Based Access Lists

Restricting Virtual Terminal Access

How to Control vty Access

Virtual Terminal Line Access Configuration

Verifying Access List Configuration

IPv4 Address Planning

Benefits of an Optimized IP Addressing Plan

Scalable Network Addressing Example

Nonscalable Network Addressing

Update Size

Unsummarized Internetwork Topology Changes

Summarized Network Topology Changes

Hierarchical Addressing Using Variable-Length Subnet Masks

Table of Contents

Subnet Mask

Use of the Subnet Mask

Subnet Mask Example

Implementing VLSM in a Scalable Network

VLSM Calculation Example

LAN Addresses

Serial Line Addresses

Summary of Addresses Used in the VLSM Example

Another VLSM Example

Route Summarization

Route Summarization Overview

Route Summarization Calculation Example

Summarizing Addresses in a VLSM-Designed Network

Route Summarization Implementation

Route Summarization Operation in Cisco Routers

Route Summarization in IP Routing Protocols

Classless Interdomain Routing

CIDR Example

Appendix C: BGP Supplement

BGP Route Summarization

CIDR and Aggregate Addresses

Network Boundary Summarization

BGP Route Summarization Using the network Command

Creating a Summary Address in the BGP Table Using the aggregate-address Command

Redistribution with IGP

Advertising Networks into BGP

Advertising from BGP into an IGP

Communities

Table of Contents

Community Attribute

Setting and Sending the Communities Configuration

Using the Communities Configuration

Route Reflectors

Route Reflector Benefits

Route Reflector Terminology

Route Reflector Design

Route Reflector Design Example

Route Reflector Operation

Route Reflector Migration Tips

Route Reflector Configuration

Route Reflector Example

Verifying Route Reflectors

Advertising a Default Route

Not Advertising Private Autonomous System Numbers

Appendix D: Acronyms and Abbreviations

Index