


IPv6 Fundamentals

A Straightforward Approach to Understanding IPv6



ciscopress.com Rick Graziani

IPv6 Fundamentals: A Straightforward Approach to Understanding IPv6

Second Edition

Rick Graziani

Cisco Press

800 East 96th Street Indianapolis, IN 46240

IPv6 Fundamentals: A Straightforward Approach to Understanding IPv6

Table of Contents

Cover

Title Page

Copyright Page

About the Author

About the Technical Reviewers

Dedication

Contents

Introduction

Part I: Introduction to IPv6

Chapter 1 Introduction to IPv6

IPv6 Is Here

Why Transition to IPv6?

IPv4 Address Depletion

Access to IPv6-Only Customers

Better Performance

Securing Your Current Network

IPv4

IPv4 Address Depletion

CIDR

NAT with Private Addresses

Problems with NAT

NAT is Not Security

NAT Example



What About IPv5?

The Fascinating History of IPv6

Some Background

IPv4 Address Exhaustion and the Need for More International Involvement

A Call for Proposals

A More IP Version of IPv6

IPv6: More Than Just Longer Addresses

IPv6 Myths

Transitioning to IPv6

Summary

Review Questions

References

Endnotes

RFCs

Websites

Chapter 2 IPv6 Primer

Hexadecimal Number System

IPv6 Address Types

Global Unicast Address (GUA)

Link-Local Unicast Address

Unspecified Address

Solicited-Node Multicast Address

Address Terminology

ICMPv6 Neighbor Discovery Protocol (NDP)

Neighbor Solicitation (NS) and Neighbor Advertisement (NA) Messages

Router Solicitation (RS) and Router Advertisement (RA) Messages

Dynamic Address Allocation

Summary

Review Questions

References

RFCs



Chapter 3 Comparing IPv4 and IPv6

Comparing the IPv4 and IPv6 Headers

The IPv4 and IPv6 Version Fields

IPv4 Internet Header Length (IHL) Field

IPv4 Type of Service (ToS) and IPv6 Traffic Class Fields

IPv6 Flow Label Field

IPv4 Total Length Field, IPv6 Payload Length Field, and IPv6 Jumbograms

IPv4 and IPv6 MTUs

IPv4 Fragmentation

IPv6 Fragmentation: IPv6 Source Only

IPv4 Protocol and IPv6 Next Header Fields

IPv4 Time to Live (TTL) and IPv6 Hop Limit Fields

Checksums: IPv4, TCP, and UDP

IPv4 and IPv6 Source Address and Destination Address Fields

IPv4 Options and Padding Fields, IPv6 Fixed Length

IPv6 over Ethernet

Packet Analysis Using Wireshark

Extension Headers

Hop-by-Hop Options Extension Header

Routing Extension Header

Fragment Extension Header

IPsec: AH and ESP Extension Headers

Transport and Tunnel Modes

Encapsulating Security Payload (ESP) Extension Header

Authentication Header (AH) Extension Header

Destination Options Extension Header

No Next Header

Comparing IPv4 and IPv6 at a Glance

Summary

Review Questions

References

RFCs



Websites

Part II: IPv6 Addresses

Chapter 4 IPv6 Address Representation and Address Types

Representation of IPv6 Addresses

Rule 1: Omit Leading 0s

Rule 2: Omit All-0s Hextets

Combining Rule 1 and Rule 2

Prefix Length Notation

IPv6 Address Types

IPv6 Address Space

Unicast Addresses

Global Unicast Address

Link-Local Unicast Address

Loopback Addresses

Unspecified Addresses

Unique Local Addresses

ULA and NAT

L Flag and Global ID

Site-Local Addresses (Deprecated)

IPv4 Embedded Address

IPv4-Mapped IPv6 Addresses

IPv4-Compatible IPv6 Addresses (Deprecated)

Multicast Addresses

Well-Known Multicast Addresses

Solicited-Node Multicast Addresses

Anycast Addresses

Summary

Review Questions

References

Endnote

RFCs

Websites



Book

Chapter 5 Global Unicast Address

Structure of a Global Unicast Address

Global Routing Prefix

Subnet ID

Interface ID

Manual Configuration of a Global Unicast Address

Manual GUA Configuration for Cisco IOS

Manual GUA Configuration with EUI-64 for Cisco IOS

Manual GUA Configuration with IPv6 Unnumbered for Cisco IOS

Manual GUA Configuration for Windows, Linux, and Mac OS

Implementing Static Routing and Verifying Connectivity with Ping

Recognizing the Parts of a GUA Address and the 314 Rule

Examining Other Prefix Lengths

Subnetting IPv6

Extending the Subnet Prefix

Subnetting on a Nibble Boundary

Subnetting Within a Nibble

Subnetting /127 Point-to-Point Links

NDP Exhaustion Attack

/127 Subnetting on Point-to-Point Links

ipv6gen: An IPv6 Subnetting Tool

Prefix Allocation

Provider-Aggregatable (PA) and Provider-Independent (PI) Address Space

Provider-Aggregatable Address Space

Provider-Independent Address Space

General Prefix Option

Dynamic Addressing Methods with SLAAC and DHCPv6

Summary

Review Questions

References

Endnote



RFCs

Websites

Chapter 6 Link-Local Unicast Address

Structure of a Link-Local Unicast Address

Automatic Configuration of a Link-Local Address

EUI-64 Generated Interface ID

Verifying the Routers Link-Local Address on Ethernet and Serial Interfaces

Randomly Generated Interface ID

Zone ID (%) on Link-Local Interfaces

Manual Configuration of a Link-Local Address

Link-Local Address and Duplicate Address Detection

Link-Local Addresses and Default Gateways

ipv6 enable: Isolated Link-Local Address

Pinging a Link-Local Address

Summary

Review Questions

References

RFCs

Chapter 7 Multicast Addresses

Scope

Multicast with Link-Local Scope Versus Link-Local Unicast Addresses

Well-Known Multicast Addresses

Solicited-Node Multicast Addresses

Mapping Unicast Address to Solicited-Node Multicast Address

Mapping to the Ethernet MAC Address

Mapping Solicited-Node Multicast to Ethernet MAC Addresses

Mapping Well-Known Multicast to Ethernet MAC Addresses

Verifying the Address Mappings on Cisco IOS, Windows, and Linux

Multiple Devices Using the Same Solicited-Node Multicast Address

One Solicited-Node Multicast Address for Multiple Unicast Addresses

Multicast Listener Discovery



MLD Snooping

Summary

Review Questions

References

RFCs

Websites, Videos, and Books

Part III: Dynamic IPv6 Addressing

Chapter 8 Basics of Dynamic Addressing in IPv6

Dynamic IPv4 Address Allocation: DHCPv4

Dynamic IPv6 Address Allocation

ICMPv6 Router Solicitation and Router Advertisement Messages

Router Advertisement Methods and the A, O, and M Flags

Method 1: Stateless Address Autoconfiguration (SLAAC)

Method 2: SLAAC with Stateless DHCPv6

Method 3: Stateful DHCPv6

DHCPv6 Services

DHCPv6 Terminology and Message Types

DHCPv6 Communications

Summary

Review Questions

References

RFCs

Website

Chapter 9 Stateless Address Autoconfiguration (SLAAC)

The RA Message and SLAAC

On-Link Determination

Generating an Interface ID

Generating the Interface ID Using the EUI-64 Process

Configuring a Windows Host to Use EUI-64

Privacy Extension for Stateless Address Autoconfiguration

Privacy Extension and Generating Randomized Interface IDs



Privacy Extension and Temporary Addresses

Disabling the Use of Temporary Addresses

Autoconfigured Address States and Lifetimes

Example: Autoconfigured Address States and Lifetimes

Displaying IPv6 Lifetimes and State Information on Windows, Linux, and Mac OS

Router Advertisement Fields and Options

Examining the Router Advertisement with Wireshark

Modifying the Valid Lifetime and Preferred Lifetime in the RA Message

Including the DNS Address in the Router Advertisement

Router Advertisement Configuration Options

Default Address Selection

Configuring the Routers Interface as a SLAAC Client

Summary

Review Questions

References

RFCs

Websites

Other

Chapter 10 Stateless DHCPv6

SLAAC with Stateless DHCPv6

Implementing Stateless DHCPv6

Configuring the RA Messages Other Configuration Flag

Wireshark Analysis of Router Advertisement: SLAAC and Stateless DHCPv6

Configuring a Router as a Stateless DHCPv6 Server

Verifying Stateless DHCPv6 on a Windows Client

Verifying the Router as a Stateless DHCPv6 Server

DHCPv6 Options

rapid-commit Option

Configuring the Rapid-Commit Option

Relay Agent Communications

DHCPv6 Relay Agent Configuration Commands

Configuring a Unicast DHCPv6 Relay Agent



Configuring a DHCPv6 Relay Agent Using a Multicast Address

Summary

Review Questions

References

RFCs

Websites

Chapter 11 Stateful DHCPv6

Stateful DHCPv6 Messages and Process

Implementing Stateful DHCPv6

Configuring the RA Message M Flag and A Flag

Setting the M Flag to 1 with an A Flag Set to 1

Consequences of Disabling the RA Message or Omitting the Prefix

Setting the M Flag to 1 and Modifying the A Flag to 0

Wireshark Analysis of Router Advertisement: Stateful DHCPv6

Configuring a Router as a Stateful DHCPv6 Server

The Address Prefix Command

Verifying Stateful DHCPv6 on a Windows Client

Verifying the Router as a Stateful DHCPv6 Server

DHCPv6 Options

IPv6 Prefix Delegation Options for DHCPv6

Sample Configuration: Prefix Delegation with DHCPv6

DHCPv6-PD Process

HOME Router (Requesting Router) Configuration and Verification

ISP Router (Delegating Router) Configuration and Verification

Verifying Prefix Delegation with DHCPv6 on WinPC

Summary

Review Questions

References

RFCs

Websites

Part IV: ICMPv6 and ICMPv6 Neighbor Discovery



Chapter 12 ICMPv6

General Message Format

ICMP Error Messages

Destination Unreachable

Packet Too Big

Path MTU Discovery

Time Exceeded

Parameter Problem

ICMP Informational Messages

Echo Request and Echo Reply

Pinging a Global Unicast Address

Pinging a Link-Local Address

Summary

Review Questions

References

RFCs

Chapter 13 ICMPv6 Neighbor Discovery

Neighbor Discovery Options

Default Router and Prefix Determination

Router Solicitation Message

Router Advertisement Message

Address Resolution

The Address Resolution Process

Characteristics of the Neighbor Solicitation Message

Format of the Neighbor Solicitation Message

Format of the Neighbor Advertisement Message

Neighbor Cache

Destination Cache

Duplicate Address Detection (DAD)

Neighbor Unreachability Detection (NUD)

Redirect Message



Summary
Review Questions
References
RFCs

Part V: Routing IPv6

Chapter 14 IPv6 Routing Table and Static Routes

Configuring a Router as an IPv6 Router Understanding the IPv6 Routing Table

> Codes: NDp and ND Code: Connected Code: Local

Configuring IPv6 Static Routes

Static Routes with a GUA Next-Hop Address
Static Routes with a Link-Local Next-Hop Address
Static Routes with Only an Exit Interface

Default Static Routes with Link-Local Next-Hop Addresses

Verifying IPv6 Static Routes

Summarizing IPv6 Routes

IPv6 Summary Static Route

CEF for IPv6

Summary

Review Questions

References

RFCs

Websites

Books

Chapter 15 EIGRP for IPv6

Comparing EIGRPv4 and EIGRPv6

Classic EIGRP for IPv6

Configuring Classic EIGRP for IPv6 Verifying Classic EIGRP for IPv6



EIGRP Named Mode for IPv6

Configuring EIGRP Named Mode for IPv6

Verifying EIGRP Named Mode for IPv6

Comparing EIGRP Named Mode for IPv4 and IPv6

Summary

Review Questions

References

RFC

Websites

Books

Chapter 16 OSPFv3

Comparing OSPFv2 and OSPFv3

Traditional OSPFv3

Configuring Traditional OSPFv3

ASBR and Advertising a Default Route

Area Border Router with Totally Stubby Area

Internal Router: Totally Stubby Area

Advertising a Default Route

Verifying Traditional OSPFv3

OSPFv3 with Address Families

Configuring OSPFv3 with AF

ASBR and Advertising a Default Route

ABR with Totally Stubby Area

Internal Router: Totally Stubby Area

Verifying OSPFv3 with AF

Configuring OSPFv3 for an IPv4 Island

Summary

Review Questions

References

RFCs

Websites

Books



Part VI: Implementing IPv6

Chapter 17 Deploying IPv6 in the Network

IPv6 Address Plan Considerations

Encoding Information in the Subnet ID

VLAN-Mapped Subnet ID

IPv6 Address Plans

IPv6 VLANs

IPv6 First Hop Redundancy Protocols

ICMPv6 Neighbor Discovery

HSRP and VRRP

GLBP

Selecting an FHRP

Dual Stack

IPv6 Address Format in URL Syntax

DNS

DNS Query and Response

Happy Eyeballs

IPv6 Access Control Lists

Configuring IPv6 ACLs

Transition Technologies

Translation with NAT64

Traffic Initiated from IPv6-Only Clients to IPv4-Only Servers

Traffic Initiated from IPv4-Only Clients to IPv6-Only Servers

Other Translation Techniques

Tunneling IPv6

Conclusion

Summary

Review Questions

References

RFCs

Websites



Appendixes

Appendix A: Configuring NAT64 and IPv6 Tunnels

Configuring NAT64

Configuring IPv6 Tunnels

Manual Tunnels

6to4 Tunnels

6to4 Tunnels and Loopback Interfaces

ISATAP

Appendix B: IPv6 Command Quick Reference

Cisco IOS Commands

Addressing Commands

Global Unicast Address and Unique Local Unicast Addresses

Link-Local Unicast Address

General Prefix

DNS host commands

Verifying Address Information

ICMPv6 Router Advertisement Commands

Enabling ICMPv6 Router Advertisements

Modifying Router Advertisement Parameters on the Interface

Verifying Router Advertisements

Configuring a DHCPv6 Server

Stateless DHCPv6 Configuration Pool Commands

Stateful DHCPv6 Configuration Pool Commands

Associating the DHCPv6 Pool to an Interface

DHCPv6 Relay

Verifying DHCPv6 Information

IPv6 Access Control Lists

Configuring IPv6 ACLs

Verifying IPv6 ACLs

Static Routes, Displaying the Routing Table, and CEF for IPv6

Static Routes

Verifying Static Routes



CEF for IPv6

EIGRP for IPv6

Classic EIGRP for IPv6

EIGRP Named Mode

EIGRP for IPv6 Verification Commands

OSPFv3

Configuring Traditional OSPFv3

Verifying Traditional OSPFv3

Configuring OSPFv3 with Address Families

Verifying OSPFv3 with Address Families

Host Operating System Commands

Windows OS

General Commands

Interface Addresses Information

SLAAC Interface ID

Linux OS

General Commands

Address Configuration Commands

Mac OS X

General Commands

Address Configuration Commands

Appendix C: Answers to Review Questions

Index

