



The L^AT_EX Companion

Third Edition – Part II



The L^AT_EX Companion

Third Edition – Part I

TOOLS AND TECHNIQUES FOR COMPUTER TYPESETTING



FRANK MITTELBACH
with **ULRIKE FISCHER**

ING

ACH

The L^AT_EX Companion

Third Edition – Part I & Part II

This eBook is a compilation of Part I and Part II of *The L^AT_EX Companion*, Third Edition. To navigate to a specific page, click the links in the text or enter the part number, a hyphen, and the page number — e.g., II-39 for page 39 in the second part.

Detailed information about the production of this eBook is given in the Production Notes on page –II 983.

The LaTeX Companion: Parts I & II, 3rd Edition

Table of Contents

Cover

Half Title

Title Page

Copyright Page

Dedication

Contents

List of Figures

List of Tables

Part I

Foreword

Preface

Chapter 1: Introduction

1.1 A brief history (of nearly half a century)

1.2 Today's systems

1.3 Working with this book

1.3.1 What's where

1.3.2 Typographic conventions

1.3.3 Using the examples

Chapter 2: The Structure of a LaTeX Document

2.1 The overall structure of a source file

2.1.1 Spoiler alertThe DocumentMetadata command

2.1.2 Processing of options of the document class and packages

Table of Contents

2.1.3 Front, main, and back matter

Front matter elements

Main matter elements

Back matter elements

2.1.4 Splitting the source document into several files

2.1.5 askincludemanaging your inclusions

2.1.6 taggingProviding variants in the document source

2.2 Sectioning commands

2.2.1 Numbering headings

2.2.2 Changing fixed heading texts

2.2.3 Introduction to heading design

2.2.4 quotchap, epigraphMottos on chapters and sections

2.2.5 indentfirstIndent the first paragraph after a heading

2.2.6 nonumonpartNo page numbers on parts

2.2.7 titlesecA package approach to heading design

The basic interface

The extended interface

Conditional heading layouts

Changing the heading hierarchy

2.2.8 Formatting headingsLaTeX's internal low-level methods

2.3 Table of contents structures

2.3.1 tocdataProviding extra data for the TOC

2.3.2 titletocA high-level approach to contents list design

Designing the layout for a single contents list entry

Standard (dotted) layouts

More complicated layouts

A few design examples

Contents entries combined in a paragraph

Generating partial table of contents lists

2.3.3 multitocSetting contents lists in multiple columns

2.3.4 LaTeX's low-level interfaces

Entering information into the contents files

Typesetting a contents list

Providing additional contents files

2.4 Managing references

Table of Contents

Fancier labels

2.4.1 `varioref` More flexible cross-references

- Providing your own reference commands
- Language options
- Individual customizations
- Customization for several languages with `babel`
- A few things to watch out for
- Package behavior without the `nospace` option

2.4.2 `cleveref` Cleverly formatted references

- Customizing the references
- Support for multiple languages
- Handling theorem-like environments
- Other special considerations

2.4.3 `nameref` Non-numerical references

2.4.4 `showkeys`, `refcheck` Displaying & checking reference keys

2.4.5 `xr` References to external documents

2.4.6 `hyperref` Active references

- Manually and automatically provided links
- Links to external resources
- Highlighting links
- Bookmarks a.k.a. outline view
- Document properties
- PDF presentation possibilities (available with some viewers)
- Other miscellaneous features

2.5 Document source management

2.5.1 Combining several files

2.5.2 Document archival information

2.5.3 `snapshot`, `bundledoc` Document archival and verification

2.5.4 `mkjobtexmf` Providing a minimal TeX file tree

2.5.5 The rollback concept for LaTeX and individual packages

- Typical scenarios
- The document-level interface
- The package writer interface

Chapter 3: Basic Formatting Tools Paragraph Level

3.1 Shaping your paragraphs

- Interword spacing

Table of Contents

Unjustified text

3.1.1 ragged2eImproving unjustified text

Spurious underfull box warnings

3.1.2 nolbreaksPreventing line breaks in text fragments

3.1.3 microtypeEnhancing justified text

Package options

Configuring the machinery

Providing context

Specifying tracking, extra kerning, and adjusted spacing

Disabling selected ligatures

Some special considerations when using microtype

3.1.4 parskipAdjusting the look and feel of paragraphs

3.1.5 setspaceChanging interline spacing

3.1.6 lettrineDropping your capital

3.1.7 Alphabets for initials

3.1.8 magazSpecial handling of the first line

3.1.9 fancyparFancy layouts for individual paragraphs

3.2 Dealing with special characters

3.2.1 ellipsis, lipsMarks of omission

3.2.2 extdash and amsmathDashes in text

3.2.3 underscoreMaking that character more usable

3.2.4 xspaceGentle spacing after a macro

3.3 Generated or specially formatted text

3.3.1 fmtcountOrdinals and cardinals

3.3.2 acroManaging your abbreviations and acronyms

Plural forms

Indefinite forms

One-time usage of acronyms

Citations for acronyms

Foreign acronyms

Formatting acronym texts

Using acro for abbreviations

Listing your acronyms and abbreviations

Further possibilities not covered

3.3.3 xfracCustomizable text fractions

Table of Contents

3.3.4 siunitxScientific notation of units and quantities

- Basic number and unit formatting
- Quantities
- Complex values as numbers or in quantities
- Tabulating numbers
- Customizing numerical data representation
- Customizing units and quantities
- Controlling printing

3.4 Various ways of highlighting and quoting text

3.4.1 Change case of text intelligently (formerly textcase)

3.4.2 csquotesContext-sensitive quotation marks

- Quotations with formal citations
- Changes, insertions, and deletions
- Language support
- Managing quotes in foreign languages
- Further configuration possibilities
- Additional helper commands

3.4.3 embracUpright brackets and parentheses

3.4.4 ulemEmphasize and copy-edit via underline

3.4.5 dashundergapsProduce fill-in forms

3.4.6 microtype & soulLetterspacing or stealing sheep

3.4.7 urlTypesetting URLs, path names, and the like

- Linking URLs to external resources

3.4.8 uriTypesetting various types of URIs

3.5 Footnotes, endnotes, and marginals

3.5.1 Using standard footnotes

3.5.2 Customizing standard footnotes

3.5.3 footmiscVarious footnotes styles

3.5.4 footnoterangeReferencing footnote ranges

3.5.5 fnpctManaging footnote markers and punctuation

3.5.6 perpageResetting counters on a "per-page" basis

3.5.7 manyfoot, bigfootIndependent footnotes

3.5.8 parnotesPresent the notes inside the galley

3.5.9 ftnrightRight footnotes in a two-column environment

3.5.10 enotezEndnotes, an alternative to footnotes

Table of Contents

- 3.5.11 Marginal notes
- 3.5.12 marginnote An alternative to marginpar
- 3.5.13 snotez Numbered or otherwise marked side notes

3.6 Support for document development

- 3.6.1 todonotes Adding todos to your document
 - Customizing todos
 - Defining your own todo commands
 - Package options
- 3.6.2 fixme A slightly different approach to todos
- 3.6.3 changes A set of typical editorial commands
 - Customizing the list of changes
 - Customizing the editorial markup commands
 - Providing your own editorial commands
 - Managing package option conflicts
 - Managing command name conflicts
- 3.6.4 pdfcomment Using PDF annotations and tool tips
- 3.6.5 vertbars Adding bars to paragraphs

Chapter 4: Basic Formatting Tools Larger Structures

4.1 Lists

- 4.1.1 Using and modifying the standard lists
 - Customizing the itemize list environment
 - Customizing the enumerate list environment
 - Customizing the description list environment
 - Modifying shared properties
- 4.1.2 LaTeX's generic list environments
- 4.1.3 enumitem Extended list environments
 - Setting default values
 - Vertical spacing and page breaks
 - The general formatting of the list environment body
 - Defining the item label (or title) and its design
 - The placement of the item label or item text
 - Controlling the list numbering
 - Short labels mimicking the enumerate package
 - Hooking in code
 - Inline lists
 - Styling description-like lists

Table of Contents

Size dependent settings

4.1.4 amsthm Providing headed lists

Proofs and the QED symbol

Defining the style of headed lists

4.1.5 thmtools Advanced theorem declarations

4.1.6 tasks Making horizontally oriented lists

4.1.7 typed-checklist Developing and maintaining checklists

4.2 Simulating typed text

4.2.1 Displaying spaces in verbatim material

4.2.2 Simple verbatim extensions

shortvrb Streamlining the verbatim input

newverbs Defining verb variants as needed

spverbatim Breaking verbatim text at spaces

Other verbatim extensions

4.2.3 upquote Computer program style quoting

4.2.4 fancyvrb, fvextra Verbatim environments on steroids

Customization keys for typesetting

Line breaking within verbatim data

Limiting the displayed data

Variant environments and commands

Defining your own variants

Inline verbatim material

Inline verbatim material in dangerous places

Extension to inline verbatim by fvextra

External configuration

4.2.5 listings Pretty-printing program code

4.3 Lines and columns

4.3.1 lineno Numbering lines of text

4.3.2 paracol Several text streams aligned

When to use and when not to use paracol

4.3.3 multicols A flexible way to handle multiple columns

Manually breaking columns

Floats and footnotes in multicols

Actions based on the current column

Support for right to left typesetting

Customizing the multicols environment

Table of Contents

Column formatting

Balancing control

Collecting material

Tracing the algorithm

4.3.4 multicolrule Custom rules for multicolumned pages

4.4 Generating sample texts

4.4.1 lipsum and friends Generating text samples

4.4.2 blindtext More elaborate layout testing

Chapter 5: The Layout of the Page

5.1 Geometrical dimensions of the layout

5.2 Changing the layout

5.2.1 layouts Displaying your layout

5.2.2 A collection of page layout packages

5.2.3 typearea A traditional approach

5.2.4 geometry Layout specification with auto-completion

5.2.5 lscape Typesetting individual pages in landscape mode

5.2.6 savetrees Options to reduce the document length

5.3 Dynamic page data: page numbers and marks

5.3.1 LaTeX page numbers

5.3.2 lastpage A way to reference it

5.3.3 chappg Page numbers by chapters

5.3.4 LaTeX's legacy mark commands

5.3.5 LaTeX's new mark mechanism

5.4 Page styles

5.4.1 The low-level page style interface

5.4.2 fancyhdr Customizing page styles

5.4.3 truncate Truncate text to a given length

5.4.4 continue Help with turning pages

5.5 Page decorations and watermarks

5.5.1 draftwatermark Put a visible stamp on your document

5.5.2 crop Producing trimming marks

5.6 Visual formatting

5.6.1 Standard tools for page explicit page breaking

Table of Contents

5.6.2 Running pages and columns short or long

5.6.3 addlinesAdjusting whole double spreads

5.6.4 nextpageExtensions to clearpage

5.6.5 needspaceConditionally start a new page

5.6.6 Avoiding widows and orphans

Forcing a page break early and producing a short page.

Running the page spread short or long.

Adjusting the spacing between words to produce "tighter" or "looser" paragraphs.

Rewriting a portion of the paragraph.

Reduce the tracking of the words.

Adding a pull quote to the text (more common for magazines).

Resizing an existing figure.

Summary.

5.6.7 widows-and-orphansFinding all widows and orphans

5.6.8 loosenessShortening or lengthening paragraphs

5.7 Doing layout with class

5.7.1 KOMAA drop-in replacement for article et al.

5.7.2 memoirProducing complex publications

Chapter 6: Tabular Material

6.1 Standard LaTeX environments

6.1.1 Using the tabbing environment

6.1.2 tabtoAn alternative way to tab stops

6.1.3 Using the tabular environment

6.2 arrayExtending the tabular environments

6.2.1 The behavior of the \ command

6.2.2 Examples of preamble specifiers

Typesetting narrow columns

Controlling the horizontal separation between columns

Tables inside tables or other environments

6.2.3 Defining new column specifiers

6.3 Calculating column widths

6.3.1 tabularxAutomatic calculation of column widths

6.3.2 tabularyColumn widths based on content

6.3.3 Differences between tabular*, tabularx, and tabulary

Table of Contents

6.3.4 Managing tables with wide entries

6.3.5 widetableAn alternative to tabular*

6.4 Multipage tabular material

6.4.1 supertabularMaking multipage tabulars

6.4.2 longtableAlternative multipage tabulars

6.4.3 xltabularMarriage of tabularx and longtable

6.4.4 Problems with multipage tables (all packages)

6.5 Color in tables

6.6 Customizing table rules and spacing

6.6.1 Colored table rules

6.6.2 boldlineBolder table rules

6.6.3 arydshlnDashed rules

6.6.4 hlineCombining horizontal and vertical lines

6.6.5 booktabsFormal ruled tables

6.6.6 bigstrutSpreading individual table lines apart

6.6.7 cellspaceEnsure minimal clearance automatically

6.7 Other extensions

6.7.1 multirowVertical alignment in tables

6.7.2 diagboxMaking table cells with diagonal lines

6.7.3 dcolumnDecimal column alignments

6.7.4 siunitxScientific numbers in tables

6.7.5 fcolumnManaging financial tables

6.8 Footnotes in tabular material

6.8.1 Using minipage footnotes with tables

6.8.2 threeparttableSetting table and notes together

6.9 keyvaltableSeparating table data and formatting

Defining named row styles

Formatting the overall table

Defining named table styles

Table data in external files for reuse

Scattering table data across your document

Automatic row numbering and referencing

Spanning cells

Table of Contents

Complex table headers

6.10 tabularrayLate breaking news

Chapter 7: Mastering Floats

7.1 An overview of LaTeX's float concepts

7.1.1 LaTeX float terminology

Float classes

Float areas

Float placement specifiers

Float algorithm parameters

Float reference points (aka call-outs)

7.1.2 Basic behavioral rules of LaTeX's float mechanism

The basic sequence when placing floats

Detailed placement rules

Emptying the holding queue at the column or page boundary

Parameters influencing the placement

7.1.3 Consequences of the algorithm

A float may appear in the document earlier than its location in the source

Double-column floats are always deferred first

There is only a limited amount of space for deferring floats

There is no bottom float area for double-column floats

Tendency to produce float pages (unnecessarily)

A float may appear on a float page purely based on its position in the source

All float parameters (normally) restrict the placement possibilities

Locally overwriting placement restrictions

"Here" just means "here if it fits"

Float specifiers do not define an order of preference

Relation of floats and footnotes

A final tuning advice

7.1.4 fltraceTracing the float algorithm

7.2 Float placement control

7.2.1 fewerfloatpagesImproving LaTeX's float algorithm

Improving the float page algorithm

Configuring the algorithm with parameters

Configuring the algorithm with package options

Local (manual) adjustments

7.2.2 placeinsPreventing floats from crossing a barrier

Table of Contents

7.2.3 afterpage Taking control at the page boundary

7.2.4 endfloat Placing figures and tables at the end

Customizing the output

7.3 Extensions to LaTeX's float concept

7.3.1 float Creating new float types

7.3.2 Captions for nonfloating figures and tables

7.3.3 rotating, rotfloat Rotating floats

rotfloat Combining float and rotating

7.3.4 wrapfig Inline floats, wrapping text around a figure

7.4 Controlling the float caption

7.4.1 caption Customizing your captions

Standard customization possibilities for caption

Doing it with style

Managing list of figures and similar lists

Continuing captions across floats

Extending the customization possibilities

7.4.2 subcaption Substructuring floats

Customizing the subcaptions

Displaying subfloat captions in the "List of "

Extending subfloats to other float types

7.5 Key/value approaches for floats and subfloats

7.5.1 hvfloat Sophisticated caption placement control and more

Large column or page floats

Subfloat and multifloat pages

Double-page floats

7.5.2 keyfloat Bringing most packages under one roof

Chapter 8: Graphics Generation and Manipulation

8.1 LaTeX's image loading support

8.1.1 Options for graphics and graphicx

8.1.2 The includegraphics syntax in the graphics package

8.1.3 The includegraphics syntax in the graphicx package

8.1.4 Setting default key values for the graphicx package

8.1.5 Declarations guiding the inclusion of images

8.2 Manipulating graphical objects in LaTeX

Table of Contents

8.2.1 Image and box manipulations with graphics and graphicx

Scaling a LaTeX box

Resizing to a given size

Rotating a LaTeX box

rotatingRevisited

8.2.2 overpicGraphic annotation made easy

8.2.3 adjustboxBox manipulation with a key/value interface

Overview about the most important keys

Presetting some keys

Image inclusion revisited

8.3 Producing (fairly) portable line graphics

8.3.1 A kernel picture environment enhancement

8.3.2 pict2eAn extension of LaTeX's picture environment

Extended or changed commands

New commands

8.3.3 bxeepicA differently enhanced picture environment

High-level line commands (originating from epic or eepic)

8.3.4 Special-purpose languages

8.3.5 qrcodeGenerating Quick Response codes

8.4 Flexible boxes for multiple purposes

8.4.1 tcolorboxThe basic usage

Outer box geometry

Inner box geometry

Text alignment

Color and fonts

Altering corners

8.4.2 Extending tcolorbox through libraries

Skins and stylesaltering the look and feel

Breakable and unbreakable boxes

Title box maneuvers

Adding Shadows

Adding border lines

Adding overlays, watermarks, and other backgrounds

Hyperlinks to internal and external resources

Formatting and text changes based on verso/recto pages

8.4.3 Defining new tcolorbox environments and commands

Numbering newly defined color boxes

Table of Contents

8.4.4 Special tcolorbox applications

Turning the boxes into floats

Raster applications

Poster applications

8.5 tikz&A general-purpose graphics system

8.5.1 Basic objects

8.5.2 Transformations and other operations

8.5.3 Going further

Chapter 9: Font Selection and Encodings

9.1 Introduction

9.1.1 The history of LaTeX's font selection scheme (NFSS)

9.1.2 Input and output handling in TeX systems over the years

The 8-bit days

The Unicode days

Unicode-enabled TeX extension programs

9.2 Understanding font characteristics

9.2.1 Monospaced and proportional fonts

9.2.2 Serifed and sans serif fonts

9.2.3 Font families and their attributes

Font shapes

Weight and width

Font sizes

9.2.4 Font encodings

9.3 Using fonts in text

9.3.1 Standard LaTeX font commands

Standard font families

Standard font series

Standard font shapes

Standard font sizes

The main document font

9.3.2 Font commands versus declarations

9.3.3 Combining standard font commands

9.3.4 Accessing all characters of a font

9.3.5 LaTeX 2.09 font supportCompatibility for really ancient documents

9.3.6 Changing the default text fonts

Table of Contents

Adjusting the main document families

Adjusting the font encoding default

Adjusting the font series defaults

Adjusting the font shape defaults

9.3.7 relsize, scalefontRelative changes to the font size

9.4 Using fonts in math

9.4.1 Special math alphabet identifiers

Predefined alphabet identifiers

The character scope of math alphabet identifiers

Defining new alphabet identifiers

9.4.2 Text font commands in math

9.4.3 Mathematical formula versions

9.5 Standard LaTeX font support

9.5.1 Computer Modern, Latin ModernThe LaTeX standard fonts

9.5.2 PSNFSS and TeX GyreCore PostScript fonts for LaTeX

9.5.3 A note on baselines and leading

9.5.4 inputencExplicitly selecting the input encoding

9.5.5 fontencSelecting font encodings

9.5.6 Additional text symbols not part of OT1 or T1 encodings

Special features

Managing missing glyphs

Altering the subencoding setup for individual glyphs

9.5.7 exscaleScaling large Computer Modern math operators

9.5.8 tracefontTracing the font selection

9.5.9 nfssfont.texDisplaying 8-bit font tables and samples

9.6 fontspecFont selection for Unicode engines

9.6.1 Setting up the main document font families

9.6.2 Setting up additional font families

9.6.3 Setting up a single font face

9.6.4 Interfacing with core NFSS commands

9.6.5 Altering the look and feel of fonts

Using generally available font features

Scaling fonts

Coloring fonts

Other generally available features

Table of Contents

Specifying OpenType font features

Figure style features

Letter case features

Vertical positioning features

Ligature features

Adjusting the font kerning

Stylistic features

Style features

Scripts and languages

Features not discussed in detail

Different ways of specifying font features

Specifying AAT or Graphite font features

9.6.6 General configuration options

9.6.7 `unicodefonttable` Displaying font tables for larger fonts

9.7 The low-level NFSS interface

9.7.1 Setting individual font attributes

Choosing the font family

Choosing the font series

Choosing the font shape

Choosing the font size

Choosing the encoding

9.7.2 Setting several font attributes

9.7.3 Automatic substitution of fonts

9.7.4 Substituting the font family if unavailable in an encoding

9.7.5 Using low-level commands in the document

9.8 Setting up new fonts for NFSS

9.8.1 Declaring new font families and font shape groups

Size functions

The "empty" and "s" functions

The "sub" and "ssub" functions

Font-loading options

9.8.2 Modifying font families and font shape groups

9.8.3 Declaring new font encoding schemes

9.8.4 Internal file organization

9.8.5 Declaring new fonts and symbols for use in math

Specifying font sizes

Table of Contents

Adding new symbol fonts

Introducing new math versions

Changing the symbol font setup

9.9 LaTeX's encoding models

9.9.1 Character data within the LaTeX system

9.9.2 LaTeX's internal character representation (LICR)

Representation as characters

Representation with character sequences

Representation as "font-encodingspecific" commands

9.9.3 Input encodings

Legacy 8-bit input encodings

9.9.4 Output encodings

Declarations for output encoding files

Output encoding defaults

Declarations for the tuenc.def file

A listing of standard LICR objects

Part II

Foreword, Part II

Preface, Part II

Chapter 10: Text and Symbol Fonts

10.1 Overview

10.1.1 Notes on the font samples

10.1.2 Notes on the font family tables

10.1.3 Font support packages

Package naming conventions

Figure style options

Font scaling, weight, and width selection

Changes to rmdefault, sfdefault, and friends

Multifamily support

Commands defined by font packages

10.1.4 Direct use of the fonts (without a package)

10.2 Samples of larger font families

10.2.1 Alegreya

10.2.2 CM BrightA design based on Computer Modern Sans

Table of Contents

- 10.2.3 DejaVuA fork of Bitstream Vera
- 10.2.4 Fira fonts
- 10.2.5 Gandhi fonts
- 10.2.6 Go fonts
- 10.2.7 Inria fonts
- 10.2.8 Kp (Johannes Kepler) fonts
- 10.2.9 LibertinusA fork of Linux Libertine and Biolinum
- 10.2.10 Lucida fonts
- 10.2.11 Merriweather fonts
- 10.2.12 Google's Noto and Droid fonts
- 10.2.13 IBM Plex
- 10.2.14 PT fonts
- 10.2.15 Quattrocento
- 10.2.16 Google Roboto families
- 10.2.17 Adobe Source Pro

10.3 Humanist (Oldstyle) serif fonts

- 10.3.1 Alegreya
- 10.3.2 Coelacanth
- 10.3.3 fbbA version of Cardo

10.4 Galalde (Oldstyle) serif fonts

- 10.4.1 Accanthis
- 10.4.2 GFS Artemisia
- 10.4.3 Crimson, Crimson Pro, and Cochineal
- 10.4.4 Cormorant Garamond
- 10.4.5 EB Garamond
- 10.4.6 Garamond Libre
- 10.4.7 URW Garamond No. 8
- 10.4.8 Gentium Plus
- 10.4.9 Kp (Johannes Kepler) Roman
- 10.4.10 Palatino (TeX Gyre Pagella)

10.5 Transitional/Neoclassical serif fonts

- 10.5.1 Antykwa Poltawskiego
- 10.5.2 BaskervilleF and Libre Baskerville

Table of Contents

- 10.5.3 Baskervald (Baskervaldx)
- 10.5.4 ITC Bookman (TeX Gyre Bonum)
- 10.5.5 Cambria
- 10.5.6 Bitstream Charter
- 10.5.7 Charis SILA design based on Bitstream Charter
- 10.5.8 CaslonReinterpreted as Libre Caslon
- 10.5.9 Gandhi Serif
- 10.5.10 Inria Serif
- 10.5.11 Libertinus Serif
- 10.5.12 LiteraturnayaA favorite in the days of the USSR
- 10.5.13 Lucida Bright
- 10.5.14 Lucida Fax
- 10.5.15 Merriweather
- 10.5.16 New Century Schoolbook (TeX Gyre Schola)
- 10.5.17 Plex Serif
- 10.5.18 PT Serif
- 10.5.19 Quattrocento
- 10.5.20 Times Roman (TeX Gyre Termes and Tempora)
- 10.5.21 Tinos
- 10.5.22 STIX 2
- 10.5.23 Utopia (Heuristica, Erewhon, and Linguistics Pro)

10.6 Didone (Modern) serif fonts

- 10.6.1 Computer Modern Roman / Latin Modern Roman
- 10.6.2 GFS Bodoni
- 10.6.3 Libre Bodoni
- 10.6.4 GFS Didot
- 10.6.5 Theano Didot
- 10.6.6 Noto Serif
- 10.6.7 Old Standard
- 10.6.8 Playfair Display

10.7 Slab serif (Egyptian) fonts

- 10.7.1 Bitter
- 10.7.2 Concrete Roman

Table of Contents

10.7.3 DejaVu Serif

10.7.4 Roboto Slab Serif

10.7.5 Source Serif Pro

10.8 Sans serif fonts

10.8.1 Alegreya Sans

10.8.2 Arimo

10.8.3 ITC Avant Garde Gothic (TeX Gyre Adventor)

10.8.4 Cabin

10.8.5 Chivo

10.8.6 ClassicoA design based on Optima

10.8.7 Clear Sans

10.8.8 CM Bright

10.8.9 Cuprum

10.8.10 Cyklop

10.8.11 DejaVu Sans

10.8.12 Fira Sans

10.8.13 Gandhi Sans

10.8.14 GFS Neo-Hellenic

10.8.15 Gillius

10.8.16 Helvetica (TeX Gyre Heros)

10.8.17 Inria Sans

10.8.18 Iwona

10.8.19 Kp (Johannes Kepler) Sans

10.8.20 Kurier

10.8.21 Latin Modern Sans

10.8.22 Lato

10.8.23 Libertinus Sans

10.8.24 Libre Franklin

10.8.25 Lucida Sans

10.8.26 Merriweather Sans

10.8.27 Mint Spirit

10.8.28 Montserrat

10.8.29 Noto Sans

Table of Contents

10.8.30 Overlock

10.8.31 Plex Sans

10.8.32 PT Sans

10.8.33 Quattrocento Sans

10.8.34 Raleway

10.8.35 Roboto Sans

10.8.36 Rosario

10.8.37 Source Sans Pro

10.8.38 Universalis

10.9 Monospaced (typewriter) fonts

10.9.1 Algol

10.9.2 Anonymous Pro

10.9.3 CM Bright Typewriter Light

10.9.4 Courier

10.9.5 DejaVu Sans Mono

10.9.6 Fira Mono

10.9.7 Go Mono

10.9.8 Inconsolata

10.9.9 Kp (Johannes Kepler) Typewriter

10.9.10 Latin Modern Typewriter

10.9.11 Libertinus Mono

10.9.12 Lucida's monospaced families

10.9.13 Luximono

10.9.14 Noto Sans Mono

10.9.15 Plex Mono

10.9.16 PT Mono

10.9.17 Roboto Mono

10.9.18 Source Code Pro

10.10 Historical and other fonts

10.10.1 Cinzel

10.10.2 Marcellus

10.10.3 The Fell Types

10.10.4 Almendra

Table of Contents

10.10.5 Antykwa Toruska

10.10.6 Lucida Casual, Calligraphy, and Handwriting

10.10.7 Zapf Chancery (TeX Gyre Chorus)

10.10.8 Miama Nueva

10.10.9 Lucida Blackletter

10.10.10 BlackletterYannis Gothic, Schwabacher, and Fraktur

10.11 Fonts supporting Latin and polytonic Greek

10.11.1 Serif designs

10.11.2 Sans Serif designs

10.11.3 Monospaced fonts

10.11.4 Handwriting fonts

10.12 Fonts supporting Latin and Cyrillic

10.12.1 Serif designs

10.12.2 Sans Serif designs

10.12.3 Monospaced fonts

10.12.4 Handwriting fonts

10.13 The LaTeX world of symbols

10.13.1 pifontAccessing Pi and Symbol fonts

10.13.2 wasysymWaldi's symbol font

10.13.3 marvosymInterface to the MarVoSym font

10.13.4 adornAdding ornaments to your document

10.13.5 fourier-ornsGUTenberg-Fourier's ornaments

10.13.6 Web-O-MintsAnother collection of ornaments and borders

10.13.7 fontawesome5Accessing Font Awesome icons

10.13.8 tipaInternational Phonetic Alphabet symbols

Chapter 11: Higher Mathematics

11.1 Introduction to amsmath and mathtools

11.2 Display and alignment structures for equations

11.2.1 Comparison of amsmath/mathtools with standard LaTeX

11.2.2 A single equation on one line

11.2.3 A single equation on several lines: no alignment

11.2.4 A single equation on several lines: with alignment

11.2.5 Equation groups without alignment

Table of Contents

- 11.2.6 Equation groups with simple alignment
- 11.2.7 Multiple alignments: align, flalign, and alignat
- 11.2.8 Display environments as mini-pages
- 11.2.9 Interrupting displays with short text
- 11.2.10 Vertical space in and around displays
- 11.2.11 Page breaks in and around displays
- 11.2.12 breqnAutomatic line breaking in math displays
- 11.2.13 Equation numbering and tags
- 11.2.14 Fine-tuning tag placement
- 11.2.15 Subordinate numbering sequences
- 11.2.16 Resetting the equation counter
- 11.3 Matrix-like environments**
 - 11.3.1 amsmath, mathtoolsThe matrix environments
 - 11.3.2 amsmath, mathtools, casesSome case environments
 - 11.3.3 delarrayDelimiters surrounding an array
 - 11.3.4 bigdelimDelimiters around and inside arrays
 - 11.3.5 Commutative diagrams with standard LaTeX
 - 11.3.6 amscdCommutative diagrams a la AMS
 - 11.3.7 tikz-cdCommutative diagrams based on tikz
- 11.4 Compound structures and decorations**
 - 11.4.1 amsmath, mathtools, extarrowsDecorated arrows
 - 11.4.2 Fractions and their generalizations
 - 11.4.3 Continued fractions
 - 11.4.4 Limiting positions
 - 11.4.5 Stacking in subscripts and superscripts
 - 11.4.6 amsmath, esint, wasysymMultiple integral signs
 - 11.4.7 diffcoeffHandling derivatives of arbitrary order
 - 11.4.8 Modular relations
 - 11.4.9 mathtools, intervalProperly spaced intervals
 - 11.4.10 braketDirac braket and set notation
 - 11.4.11 amsmath, mathtools, empheqBoxed formulas
 - 11.4.12 amsmath, accents, mathdotsVarious accents
 - 11.4.13 mattensCommands to typeset tensors

Table of Contents

11.4.14 Extra decorations for symbols

11.5 Variable symbol commands

11.5.1 Ellipsis and other kinds of

11.5.2 Horizontal extensions in standard LaTeX

11.5.3 Further horizontal extensions

11.5.4 `abracas` Customizable over and under braces

11.5.5 `underoverlap` Partly overlapping horizontal braces

11.5.6 Vertical extensions

11.6 Words in mathematics

11.6.1 The `text` command

11.6.2 Operator and function names

11.7 Fine-tuning the mathematical layout

11.7.1 Controlling the automatic sizing and spacing

11.7.2 Subformulas

11.7.3 Line breaking in inline formulas

11.7.4 Big-g delimiters

11.7.5 Radical movements

11.7.6 Ghostbusters

11.7.7 Horizontal spaces

11.7.8 `resizegather` Downscaling an equation

11.7.9 `subdepth` Normalizing subscript positions

11.7.10 Color in formulas

11.8 Symbols in formulas

11.8.1 Mathematical symbol classes

11.8.2 Letters, numerals, and other Ordinary symbols

11.8.3 Mathematical accents

11.8.4 Binary operator symbols

11.8.5 Relation symbols

11.8.6 Operator symbols

11.8.7 Punctuation

11.8.8 Opening and Closing symbols

Chapter 12: Fonts in Formulas

12.1 The world of (Latin) math alphabets

Table of Contents

12.1.1 mathalphaSimplified setup for math alphabets

Selection of supported Calligraphic and Script math alphabets

Selection of supported Fraktur math alphabets

Selection of supported Blackboard Bold math alphabets

12.2 Making it bold

12.2.1 bmMaking bold

12.3 Traditional math font setup through packages

12.3.1 ccfontsThe Concrete fonts for text and math

12.3.2 cmbrightThe Computer Modern Bright fonts

12.3.3 euler, eulervmAccessing Zapf's Euler fonts

Some peculiarities of the Euler fonts

12.3.4 newtxmathA Swiss knife for math font support

Support for Times math

Support for other math font families

12.3.5 newpxmathUsing the PX fonts for math

12.3.6 mathpazoAnother Palatino-based approach for math

12.3.7 notomathSetting up Noto fonts for math and text

12.4 unicode-mathUsing Unicode math fonts

12.4.1 Math alphabets revisited

12.4.2 Adjusting the formula style

12.4.3 Setting up Unicode math fonts

Adjusting parts of the font setup

12.5 A visual comparison of different math setups

12.5.1 Garalde (Oldstyle) serif fonts with math support

12.5.2 Transitional serif fonts with math support

12.5.3 Didone serif fonts with math support

12.5.4 Slab serif fonts with math support

12.5.5 Sans serif fonts with math support

12.5.6 Historical fonts with math support

Chapter 13: Localizing Documents

13.1 TeX and nonEnglish languages

13.1.1 Language-related aspects of typesetting

13.1.2 Culture-related aspects of typesetting

13.1.3 babelLaTeX speaks multiple languages

Table of Contents

13.2 The babel user interface

13.2.1 Setting or getting the current language

13.2.2 Handling shorthands

Document-level commands for shorthands

13.2.3 Language attributes

13.2.4 BCP 47 tags

13.3 User commands provided by language options

13.3.1 Translations of fixed texts

13.3.2 Available shorthands

The double quote

The tilde

The colon, semicolon, exclamation mark, and question mark

The grave accent

The equal sign

The greater than and less than signs

The period

13.3.3 Language-specific commands

Formatting dates

Numbering

Miscellaneous extras

13.3.4 Layout considerations

13.3.5 Languages and font encoding

Extensions to the T1 encodings

Basic support for switching script-related features

13.4 Support for Cyrillic and Greek

13.4.1 The Cyrillic alphabet

Font encodings

Fonts

Using Cyrillic in your documents

Indexes and bibliographies

13.4.2 The Greek alphabet

13.5 Complex scripts

Chinese + Japanese + Korean, a.k.a. CJK

Indic scripts

Bi-directional (bidi) scripts

Table of Contents

13.6 Tailoring babel

13.6.1 User level

- Modify caption strings
- Hyphenation rules
- Counters and labels
- Executing some code when languages are selected
- Language-specific tools

13.6.2 Package level

- Hyphenating in several languages
- A couple of tools for shorthands

13.6.3 The package file

13.7 Other approaches

13.7.1 Complex languages with 8-bit engines

13.7.2 Polyglossia

Chapter 14: Index Generation

14.1 Syntax of the index entries

- 14.1.1 Simple index entries
- 14.1.2 Generating subentries
- 14.1.3 Page ranges and cross-references
- 14.1.4 Controlling the presentation form
- 14.1.5 Printing special characters
- 14.1.6 Creating a glossary
- 14.1.7 Defining your own index commands
- 14.1.8 Special considerations

14.2 MakeIndexA program to sort and format indexes

- 14.2.1 Generating the formatted index
- 14.2.2 Detailed options of the MakeIndex program
- 14.2.3 Error and warning messages
- 14.2.4 Customizing the index
 - A stand-alone index
 - Changing the "special characters"
 - Changing the output format of the index
 - Treating funny page numbers
- 14.2.5 Pitfalls to watch out for

Table of Contents

14.3 upmendexA Unicode-aware indexing program

14.3.1 Options, warnings, and errors of the program

14.3.2 Customizing the index with upmendex

Adjusting the sorting to rules of a specific language or script

14.4 xindy, xindexTwo other indexing programs

14.5 Enhancing the index with LaTeX features

14.5.1 Modifying the layout

14.5.2 showidx, repeatindex, tocbibind, indxciteLittle helpers

14.5.3 indexProducing multiple indexes

Chapter 15: Bibliography Generation

15.1 The standard LaTeX bibliography environment

15.2 The biber and BibTeX programs

15.2.1 bibtex8An 8-bit reimplementation of BibTeX

15.2.2 biberA Unicode-aware bibliography processor

15.3 The BibTeX database format

15.3.1 Entry types and fields

15.3.2 Additional fields

15.3.3 The text part of a field explained

The structure of a name

The format of the title

Accented and special characters

Dates

15.3.4 Abbreviations in BibTeX

15.3.5 Extended data references with biber: the xdata entry type

15.3.6 The BibTeX database preamble command

15.3.7 Cross-referencing entries

15.3.8 Managing the BibTeX and biber differences

15.4 Using BibTeX or biber to produce the bibliography

15.5 On-line bibliographies

15.6 Bibliography database management tools

15.6.1 checkcitesWhich citations are used, unused, or missing?

15.6.2 biblistPrinting BibTeX database files

15.6.3 bibclean, etc.A set of command-line tools

Table of Contents

15.6.4 Using biber as a tool

Extracting entries used by a document

Validation

Normalization and rewriting of entries

15.7 Formatting the bibliography with styles

15.7.1 A collection of BibTeX style files

15.7.2 custom-bibGenerate BibTeX styles with ease

Initializing the system

Selecting the citation scheme

Determining the extensions supported

Specifying the typographical details

Generating the BibTeX style from the collected answers

15.7.3 An overview of biblatex styles

15.7.4 Generic styles

biblatex

biblatex-ext

biblatex-trad

15.7.5 Implementations of style guides

biblatex-apa

biblatex-chicago

biblatex-gb7714-2015

biblatex-gost

biblatex-iso690

biblatex-mla

biblatex-oxref

biblatex-sbl

biblatex-vancouver

windycity

15.7.6 Implementations of university and institution styles

archaeologie

biblatex-archaeology

biblatex-arthistory-bonn

biblatex-bath

biblatex-bwl

biblatex-enc

biblatex-musuos

biblatex-nottsclassic

Table of Contents

biblatex-socialscienceshuberlin

thuthesis

uni-wtal-ger

uni-wtal-lin

univie-ling

15.7.7 Implementations of journal styles

acmart

biblatex-ajc2020unofficial

biblatex-chem

biblatex-ieee

biblatex-ijera

biblatex-lncs

biblatex-lni

biblatex-nature

biblatex-nejm

biblatex-phys

biblatex-science

biblatex-spbasic

biblatex-unified

dtk

emisa

historische-zeitschrift

langsci

nwejm

15.7.8 Styles that extend the data model

biblatex-bookinother

biblatex-claves

biblatex-cv

biblatex-manuscripts-philology

biblatex-morenames

biblatex-realauthor

biblatex-software

biblatex-subseries

15.7.9 Styles not fitting in the other categories

biblatex-dw

biblatex-fiwi

biblatex-german-legal

biblatex-jura2

Table of Contents

biblatex-juradiss
biblatex-philosophy
biblatex-publist
cnltx
oscola
savetrees

Chapter 16: Managing Citations

16.1 Introduction

16.1.1 Bibliographical reference schemes

16.2 The number-only system

16.2.1 Standard LaTeX Reference by number

Customizing citation references and the bibliography in standard LaTeX

Customizing citation references and the bibliography with biblatex

16.2.2 citeEnhanced references by number

Package options

Citations with superscript numbers

16.2.3 notoccite Solving a problem with unsorted citations

16.2.4 natbib's approach to number-only references

16.2.5 biblatex's approach to number-only references

16.3 The author-date system

16.3.1 Early attempts

16.3.2 natbib Customizable author-date references

The basic syntax

Multiple citations

Full author list only with the first citation

Customizing the citation reference layout

Customizing the bibliography layout

Publications without author or year information

Indexing citations automatically

BibTeX styles for natbib

16.3.3 biblatex's approach to author-date references

16.4 The author-number system

16.4.1 natbib Revisited

Sorting and compressing numerical citations

The rules for selecting numerical mode

Table of Contents

Customizing natbib in numerical mode

16.4.2 biblatex's approach to author-number references

16.5 The author-title system

16.5.1 jurabib Customizable short-title references

The basic syntax

Citations with short and full titles

Indexing citations automatically

Using natbib citation semantics

This work was cited as

Full citations inside the text

Citations as footnotes or endnotes

ibidem In the same place

Cross-referencing citations

Author-date citation support

Language support

Distinguishing the author's gender

Customizing the in-text citation layout further

Customizing the bibliography layout

Using external configuration files

BibTeX styles for jurabib

16.5.2 biblatex's approach to author-title references

16.6 The verbose system

16.6.1 bibentry Full bibliographic entries in running text

16.6.2 biblatex's approach to verbose citations

16.7 biblatex One ring to rule them all

16.7.1 Basic biblatex setup

16.7.2 Package options

16.7.3 Citing with biblatex

16.7.4 Indexing citations automatically

16.7.5 Back references and links

16.7.6 Bibliography entries with multiple authors

16.7.7 Unambiguous citations

16.7.8 Printing the bibliography

16.7.9 The sorting of the bibliography

16.7.10 Document divisions

Table of Contents

- 16.7.11 Annotated bibliographies
- 16.7.12 Bibliography lists
- 16.7.13 Language support
- 16.7.14 Distinguishing the author's gender
- 16.7.15 Sentence casing
- 16.7.16 Customizing
 - Core configuration files and commands
 - Adapting localization strings
 - Customizing punctuation
 - Changing format directives

16.8 Multiple bibliographies in one document

- 16.8.1 chapterbibBibliographies per included file
- 16.8.2 bibunitsBibliographies for arbitrary units
- 16.8.3 bibtopicCombining references by topic
- 16.8.4 multibibSeparate global bibliographies

Chapter 17: LaTeX Package Documentation Tools

17.1 docDocumenting LaTeX and other code

- 17.1.1 General conventions for the source file
- 17.1.2 Describing new macros and environments
- 17.1.3 Cross-referencing all macros used
- 17.1.4 The documentation driver
 - Package options
- 17.1.5 Conditional code in the source
- 17.1.6 Providing additional documentation elements
- 17.1.7 Producing the actual index entries
- 17.1.8 Overview about all doc commands
- 17.1.9 ltxdocA simple LaTeX documentation class
 - Extensions provided by ltxdoc
 - Customizing the output of documents that use ltxdoc

17.2 docstrip.texProducing ready-to-run code

- 17.2.1 Invocation of the docstrip utility
- 17.2.2 docstrip script commands
 - Generating new files
 - Communicating with the user

Table of Contents

- Top-level/main installation scripts
- Setting up preambles and postambles
- 17.2.3 Using docstrip with L3 programming layer code
- 17.2.4 Using docstrip with other languages
- 17.3 l3buildA versatile development environment
 - 17.3.1 The basic interface
 - 17.3.2 Creating tests
 - How tests work
 - Test setup
 - Constructing tests
 - Certifying and saving tests
 - Testing package loading
 - 17.3.3 Releasing to CTAN
 - 17.3.4 Common configurations
 - Adjusting the number of runs
 - Installing configuration files
 - Setting up a larger package with multiple sources
 - Changing the typesetting engine
 - Separating user and programmer documentation
 - Suppressing typesetting of the implementation part
 - Creating a ready-to-install "TDS-style" zip file
- 17.4 Making use of version control tools
 - 17.4.1 gitinfo2Accessing metadata from Git
 - 17.4.2 svn-multiAccessing Subversion keywords
 - 17.4.3 filemodPrinting or checking file modification dates

Chapter A: LaTeX Overview for Preamble, Package, and Class Writers

- A.1 Linking markup and formatting
 - A.1.1 Command and environment names
 - Categories of LaTeX commands
 - A.1.2 Defining simple commands
 - Commands with one optional argument
 - Argument restrictions for simple commands
 - Nesting new commands in each other
 - Special declarations for use in packages and classes
 - A.1.3 Defining simple environments

Table of Contents

A.1.4 Defining more complex commands and environments

Describing argument types

Creating document commands and environments

Details on optional arguments

Testing for optional argument values or optional tokens

Using Embellishments

Using the body of an environment as an argument

Using argument processors

A.1.5 Changing arguments to command names

A.2 Counters and length expressions

A.2.1 Defining and changing counters

A.2.2 fmtcountSpecially formatted counters and numbers

A.2.3 sillypagePage and other counting à la Monty Python

A.2.4 Defining and changing space parameters

Horizontal space

Vertical space

A.2.5 The L3 programming layerComputation support

A.3 Page markupBoxes and rules

A.3.1 LR boxes

A.3.2 Paragraph boxes

A.3.3 Rule boxes

A.3.4 Manipulating boxed material

A.3.5 Box commands and color

A.4 LaTeX's hook management

A.4.1 Working with existing hooks

Different hook flavors

Displaying current hook status and data

Important generic hooks are available out of the box

Special hooks available in the document environment

Hooks provided for shipout operations

Other hooks

A.4.2 Declaring hooks and using them in code

Setting up additional generic hooks

Reordering code chunks in hooks

A.5 Control structure extensions

Table of Contents

A.5.1 iftexOn which TeX engine are we running on?

A.5.2 calcArithmetic calculations

A.5.3 ifthenAdvanced control structures

A.6 Package and class file structure

A.6.1 The rollback part

A.6.2 The identification part

A.6.3 The initial code part

A.6.4 The declaration of options

A.6.5 The execution of options

A.6.6 Declaring and using options with a key/value syntax

Executing package or class options using a key/value syntax

A.6.7 The package loading part

A.6.8 The main code part

A.6.9 Special commands for package and class files

A.6.10 Special commands for class files

A.6.11 A minimal class file

Chapter B: Tracing and Resolving Problems

B.1 Error messages

B.2 Dying with memory exceeded

B.3 Warnings and informational messages

B.4 TeX and LaTeX commands for tracing

B.4.1 Displaying command definitions and register values

B.4.2 Diagnosing page-breaking problems

Symbolic display of the page contents

Tracing page-break decisions

B.4.3 Diagnosing and solving paragraph-breaking problems

Dealing with hyphenation problems

showhyphenation, lua-check-hyphenDisplay hyphenation points with LuaTeX

Tracing the paragraph algorithm

Shortening or lengthening a paragraph

B.4.4 Other low-level tracing tools

B.4.5 traceSelectively tracing command execution

Chapter C: Going Beyond

Table of Contents

- C.1 LearnLaTeX A LaTeX online course for beginners
- C.2 Finding information available on your computer
 - C.2.1 kpswhichFind files the way TeX does
 - C.2.2 texdoc A command-line interface to local TeX information
- C.3 Accessing online information and getting help
 - C.3.1 texdoc.org searchable documentation on the Web
 - C.3.2 Frequently Asked Questions (FAQ) resources
 - C.3.3 Using news groups and forums
 - C.3.4 The LaTeX Project's web presence
- C.4 Getting all those TeX files
 - C.4.1 CTAN The Comprehensive TeX Archive Network
 - C.4.2 TeX distributions past and present
 - Linux distributions
 - Cloud service installations
- C.5 Giving back to the community

Bibliography

Index of Commands and Concepts

Symbols

Numbers

A

B

C

D

E

F

G

H

I

J

Table of Contents

K

L

M

N

O

P

Q

R

S

T

U

V

W

X

Y

Z

People

Biographies

Production Notes