



CCIE® Professional Development

# Troubleshooting IP Routing Protocols

The comprehensive, hands-on guide for  
resolving IP routing problems



# Troubleshooting IP Routing Protocols

**Zaheer Aziz, CCIE #4127**  
**Johnson Liu, CCIE #2637**  
**Abe Martey, CCIE #2373**  
**Faraz Shamim, CCIE #4131**

**Cisco Press**

Cisco Press  
800 East 96th Street  
Indianapolis, IN 46240 USA

# Troubleshooting IP Routing Protocols (CCIE Professional Development Series)

## Table of Contents

Table of Contents

Preface

Introduction

Chapter 1 Understanding IP Routing

- IP Addressing Concepts

  - IPv4 Address Classes

  - IPv4 Private Address Space

  - Subnetting and Variable-Length Subnet Masks

  - Classless Interdomain Routing

- Static and Dynamic Routes

- Dynamic Routing

  - Unicast Versus Multicast IP Routing

  - Classless Versus Classful IP Routing Protocols

  - Interior Gateway Protocols Versus Exterior Gateway Protocols

  - Distance Vector Versus Link-State Protocols

- Routing Protocol Administrative Distance

- Fast Forwarding in Routers

- Summary

- Review Questions

- References

Chapter 2 Understanding Routing Information Protocol (RIP)

- Metric

# Table of Contents

Timers

Split Horizon

Split Horizon with Poison Reverse

RIP-1 Packet Format

RIP Behavior

- RIP Rules for Sending Updates

- RIP Rules for Receiving Updates

- Example of Sending Updates

- Example of Receiving Updates

Why RIP Doesn't Support Discontiguous Networks

Why RIP Doesn't Support Variable-Length Subnet Masking

Default Routes and RIP

Protocol Extension to RIP

- Route Tag

- Subnet Mask

- Next Hop

- Multicast Capability

- Authentication

Compatibility Issues

Summary

Review Questions

Further Reading

## Chapter 3 Troubleshooting RIP

Flowcharts to Solve Common RIP Problems

Troubleshooting RIP Routes Installation

Problem: RIP Routes Not in the Routing Table

- RIP Routes Not in the Routing Table Cause: Missing or Incorrect network Statement

# Table of Contents

RIP Routes Not in the Routing TableCause: Layer 1/2 Is Down

RIP Routes Not in the Routing TableCause: distribute-list in Is Blocking the  
Route

RIP Routes Not in the Routing TableCause: Access List Blocking RIP  
Source Address

RIP Routes Not in the Routing TableCause: Access List Blocking RIP  
Broadcast or Multicast (in Case of RIP-2)

RIP Routes Not in the Routing TableCause: Incompatible RIP Version  
Type

RIP Routes Not in the Routing TableCause: Mismatch Authentication  
Key (RIP-2)

RIP Routes Not in the Routing TableCause: Discontiguous Network

RIP Routes Not in the Routing TableCause: Invalid Source

RIP Routes Not in the Routing TableCause: Layer 2 Problem (Switch,  
Frame Relay, Other Layer 2 Media)

RIP Routes Not in the Routing TableCause: Offset List Has a Large  
Metric Defined

RIP Routes Not in the Routing TableCause: Routes Reached RIP Hop  
Count Limit

Problem: RIP Is Not Installing All Possible Equal-Cost

PathsCause: maximum-path Command Restricts RIP from  
Installing More Than One Path

Debugs and Verification

Solution

Troubleshooting RIP Routes Advertisement

Problem: Sender Is Not Advertising RIP Routes

Sender Is Not Advertising RIP RoutesCause: Missing or Incorrect  
network Statement

Sender Is Not Advertising RIP RoutesCause: Outgoing Interface Is  
Down

Sender Is Not Advertising RIP RoutesCause: distribute-list out Is Blocking the

# Table of Contents

## Route

Sender Is Not Advertising RIP RoutesCause: Advertised Network Interface Is Down

Sender Is Not Advertising RIP RoutesCause: Outgoing Interface Is Defined Passive

Sender Is Not Advertising RIP RoutesCause: Broken Multicast Capability (Frame Relay)

Sender Is Not Advertising RIP RoutesCause: Misconfigured neighbor Statement

Sender Is Not Advertising RIP RoutesCause: Advertised Subnet Is VLSM

Sender Is Not Advertising RIP RoutesCause: Split Horizon Is Enabled

Problem: Subnetted Routes Missing from the Routing Table of R2Cause: Autosummarization Feature Is Enabled

Debugs and Verification

Solution

## Troubleshooting Routes Summarization in RIP

Problem: RIP-2 Routing Table Is HugeCause: Autosummarization Is Off

Debugs and Verification

Solution

Problem: RIP-2 Routing Table Is HugeCause: ip summary-address Is Not Used

Debugs and Verification

Solution

## Troubleshooting RIP Redistribution Problems

Debugs and Verification

Solution

## Troubleshooting Dial-on-Demand Routing Issues in RIP

Problem: RIP Broadcast Is Keeping the ISDN Link UpCause: RIP

# **Table of Contents**

Broadcasts Have Not Been Denied in the Interesting Traffic Definition

Debugs and Verification

Solution

Problem: RIP Updates Are Not Going Across the Dialer

InterfaceCause: Missing broadcast Keyword in a dialer map  
Statement

Debugs and Verification

Solution

Troubleshooting Routes Flapping Problem in RIP

Debugs and Verification

Solution

## **Chapter 4 Understanding Interior Gateway Routing Protocol (IGRP)**

Metrics

Timers

Split Horizon 130

Split Horizon with Poison Reverse

IGRP Packet Format

IGRP Behavior

Default Route and IGRP

Unequal-Cost Load Balancing in IGRP

Summary

Review Questions

## **Chapter 5 Troubleshooting IGRP**

Flowcharts to Solve Common IGRP Problems

Troubleshooting IGRP Route Installation

Problem: IGRP Routes Not in the Routing Table

# Table of Contents

IGRP Routes Not in the Routing TableCause: Missing or Incorrect  
network Statement

IGRP Routes Not in the Routing TableCause: Layer 1/2 Is Down

IGRP Routes Not in the Routing TableCause: distribute-list in Is Blocking the  
Route

IGRP Routes Not in the Routing TableCause: Access List Blocking IGRP  
Source Address

IGRP Routes Not in the Routing TableCause: Access List Blocking IGRP  
Broadcast

IGRP Routes Not in the Routing TableCause: Discontiguous Network

IGRP Routes Not in the Routing TableCause: Invalid Source

IGRP Routes Not in the Routing TableCause: Layer 2 Problem (Switch,  
Frame Relay, Other Layer 2 Media)

IGRP Routes Not in the Routing TableCause: Senders AS Mismatch

**Problem: IGRP Is Not Installing All Possible Equal-Cost**

**PathsCause: maximum-paths Restricts IGRP to a Maximum of  
Four Paths by Default**

Debugs and Verification

Solution

**Troubleshooting IGRP Routes Advertisement**

**Problem: Sender Is Not Advertising IGRP Routes**

Sender Is Not Advertising IGRP RoutesCause: Missing or Incorrect  
network Statement

Sender Is Not Advertising IGRP RoutesCause: Outgoing Interface Is  
Down

Sender Is Not Advertising IGRP RoutesCause: distribute-list out Is Blocking the  
Route

Sender Is Not Advertising IGRP RoutesCause: Advertised Network  
Interface Is Down

Sender Is Not Advertising IGRP RoutesCause: Outgoing Interface Is  
Defined as Passive



# **Table of Contents**

Sender Is Not Advertising IGRP RoutesCause: Broken Broadcast  
Capability (Encapsulation Failure in Layer 2)

Sender Is Not Advertising IGRP RoutesCause: Misconfigured neighbor  
Statement

Sender Is Not Advertising IGRP RoutesCause: Advertised Subnet Is  
VLSM

Sender Is Not Advertising IGRP RoutesCause: Split Horizon Is Enabled

Problem: Candidate Default Is Not Being AdvertisedCause: ip  
default-network Command Is Missing

Debugs and Verification

Solution

Troubleshooting IGRP Redistribution Problems

Problem: Redistributed Routes Are Not Getting Installed in the Routing  
TableCause: Metric Is Not Defined During Redistribution into IGRP

Debugs and Verification

Solution

Troubleshooting Dial-on-Demand Routing (DDR) Issues in IGRP

Problem: IGRP Broadcast Is Keeping the ISDN Link UpCause:  
IGRP Broadcasts Have Not Been Denied in the Interesting  
Traffic Definition

Debugs and Verification

Solution

Problem: IGRP Updates Are Not Going Across the Dialer  
InterfaceCause: Missing Broadcast Keyword in a dialer map  
Statement

Debugs and Verification

Solution

Troubleshooting Route Flapping Problem in IGRP

Problem: IGRP Routes Are FlappingCause: Packet Drops on

# **Table of Contents**

Senders or Receivers Interface

Debugs and Verification

Solution

Troubleshooting Variance Problem

Problem: IGRP Not Using Unequal-Cost Path for Load

BalancingCause: variance Command Is Missing or  
Misconfigured

Debugs and Verification

Solution

## **Chapter 6 Understanding Enhanced Interior Gateway Routing Protocol (EIGRP)**

Metrics

EIGRP Neighbor Relationships

The Diffusing Update Algorithm

DUAL Finite-State Machine

EIGRP Reliable Transport Protocol

EIGRP Packet Format

EIGRP Behavior

EIGRP Summarization

EIGRP Query Process

Default Routes and EIGRP

Unequal-Cost Load Balancing in EIGRP

Summary

Review Questions

## **Chapter 7 Troubleshooting EIGRP**

Troubleshooting EIGRP Neighbor Relationships

Consulting the EIGRP Log for Neighbor Changes

# **Table of Contents**

- EIGRP Neighbor ProblemCause: Unidirectional Link
- EIGRP Neighbor ProblemCause: Uncommon Subnet
- EIGRP Neighbor ProblemCause: Mismatched Masks
- EIGRP Neighbor ProblemCause: Mismatched K Values
- EIGRP Neighbor ProblemCause: Mismatched AS Number
- EIGRP Neighbor ProblemCause: Stuck in Active

## **Troubleshooting EIGRP Route Advertisement**

- EIGRP Is Not Advertising Routes to Neighbors When the Network Administrators Think That It Should
- EIGRP Is Advertising Routes to Neighbors When the Network Administrators Think That It Shouldnt
- EIGRP Is Advertising Routes with Unexpected Metric

## **Troubleshooting EIGRP Route Installation**

- EIGRP Is Not Installing RoutesCause: Auto or Manual Summarization
- EIGRP Is Not Installing RoutesCause: Higher Administrative Distance
- EIGRP Is Not Installing RoutesCause: Duplicate Router IDs

## **Troubleshooting EIGRP Route Flapping**

## **Troubleshooting EIGRP Route Summarization**

- EIGRP Summarization Route ProblemCause: Subnetworks of Summary Route Dont Exist in Routing Table
- EIGRP Summarization Route ProblemCause: Too Much Summarization

## **Troubleshooting EIGRP Redistribution Problems**

## **Troubleshooting EIGRP Dial Backup Problem**

## **EIGRP Error Messages**

## **Summary**

# **Chapter 8 Understanding Open Shortest Path First (OSPF)**

## **OSPF Packet Details**

- Hello Packets
- Database Description Packets

# **Table of Contents**

Link-State Request Packets

Link-State Update Packets

Link-State Acknowledgment Packet

## **OSPF LSA Details**

Router LSA

Network LSA

Summary LSA

External LSA

## **OSPF Areas**

Normal Areas

Stub Areas

Totally Stubby Areas

Not-So-Stubby Areas

## **OSPF Media Types**

Multiaccess Media

Point-to-Point Media

Nonbroadcast Multiaccess Media

Demand Circuits

OSPF Media Type Summary

## **OSPF Adjacencies**

OSPF Down State

OSPF Attempt State

OSPF Init State

OSPF 2-Way State

OSPF Exstart State

OSPF Exchange State

OSPF Loading State

OSPF Full State

## **Summary**

# Table of Contents

Review Questions

## Chapter 9 Troubleshooting OSPF

Flowcharts to Solve Common OSPF Problems

Troubleshooting OSPF Neighbor Relationships

Problem: OSPF Neighbor List Is Empty

OSPF Neighbor List Is EmptyCause: OSPF Not Enabled on the Interface

OSPF Neighbor List Is EmptyCause: Layer 1/2 Is Down

OSPF Neighbor List Is EmptyCause: Interface Is Defined as Passive  
Under OSPF

OSPF Neighbor List Is EmptyCause: Access List Blocking OSPF Hellos  
on Both Sides

OSPF Neighbor List Is EmptyCause: Mismatched Subnet Number/Mask over  
a Broadcast Link

OSPF Neighbor List Is EmptyCause: Mismatched Hello/Dead Intervals

OSPF Neighbor List Is EmptyCause: Mismatched Authentication Type

OSPF Neighbor List Is EmptyCause: Mismatched Authentication Key

OSPF Neighbor List Is EmptyCause: Mismatched Area ID

OSPF Neighbor List Is EmptyCause: Mismatched Stub/Transit/NSSA Area  
Options

OSPF Neighbor List Is EmptyCause: OSPF Adjacency Over Secondary IP  
Address

OSPF Neighbor List Is EmptyCause: OSPF Adjacency over Asynchronous  
Interface

OSPF Neighbor List Is EmptyCause: No Network Type or Neighbor  
Defined over NBMA

OSPF Neighbor List Is EmptyCause: Frame Relay/Dialer Interface  
Missing the broadcast Keyword on Both Sides

Problem: OSPF Neighbor Stuck in ATTEMPT

OSPF Neighbor Stuck in ATTEMPTCause: Misconfigured neighbor  
Statement

# **Table of Contents**

OSPF Neighbor Stuck in ATTEMPTCause: Unicast Connectivity Is Broken  
on NBMA

## **Problem: OSPF Neighbor Stuck in INIT**

OSPF Neighbor Stuck in INITCause: Access List on One Side Is  
Blocking OSPF Hellos

OSPF Neighbor Stuck in INITCause: Multicast Capabilities Are Broken  
on One Side (6500 Switch Problem)

OSPF Neighbor Stuck in INITCause: Cause: Authentication Is Enabled  
Only on One Side

OSPF Neighbor Stuck in INITCause: The frame-relay map/dialer-map  
Statement on One Side Is Missing the broadcast Keyword

OSPF Neighbor Stuck in INITCause: Hellos Are Getting Lost on One  
Side at Layer 2

## **Problem: OSPF Neighbor Stuck in 2-WAYCause: Priority 0 Is Configured on All Routers**

Debugs and Verification  
Solution

## **Problem: OSPF Neighbor Stuck in EXSTART/EXCHANGE**

OSPF Neighbor Stuck in EXSTART/EXCHANGECause: Mismatched Interface  
MTU

OSPF Neighbor Stuck in EXSTART/EXCHANGECause: Duplicate Router IDs  
on Neighbors

OSPF Neighbor Stuck in EXSTART/EXCHANGECause: Cant Ping Across  
with More Than Certain MTU Size

OSPF Neighbor Stuck in EXSTART/EXCHANGECause: Unicast Connectivity  
Is Broken

OSPF Neighbor Stuck in EXSTART/EXCHANGECause: Network Type Is  
Point-to-Point Between PRI and BRI/Dialer

## **Problem: OSPF Neighbor Stuck in LOADING**

OSPF Neighbor Stuck in LOADINGCause: Mismatched MTU Size

OSPF Neighbor Stuck in LOADINGCause: Link-State Request Packet Is

# **Table of Contents**

Corrupted

## **Troubleshooting OSPF Route Advertisement**

### **Problem: OSPF Neighbor Is Not Advertising Routes**

OSPF Neighbor Is Not Advertising RoutesCause: OSPF Not Enabled on the Interface That Is Supposed to Be Advertised

OSPF Neighbor Is Not Advertising RoutesCause: Advertising Interface Is Down

OSPF Neighbor Is Not Advertising RoutesCause: Secondary Interface Is in a Different Area Than the Primary Interface

### **Problem: OSPF Neighbor (ABR) Not Advertising the Summary Route**

OSPF Neighbor (ABR) Not Advertising the Summary RouteCause: Area Is Configured as Totally Stubby Area

OSPF Neighbor (ABR) Not Advertising the Summary RouteCause: ABR Is Not Connected to Area 0

OSPF Neighbor (ABR) Not Advertising the Summary RouteCause: Discontiguous Area 0

### **Problem: OSPF Neighbor Is Not Advertising External Routes**

OSPF Neighbor Is Not Advertising External RoutesCause: Area Is Configured as a Stub Area or NSSA

OSPF Neighbor Is Not Advertising External RoutesCause: NSSA ABR Not Translating Type 7 LSAs into Type 5 LSAs

### **Problem: OSPF Neighbor Not Advertising Default Routes**

OSPF Neighbor Not Advertising Default RoutesCause: Missing default-information originate Commands

OSPF Neighbor Not Advertising Default RoutesCause: Default Route Missing from the Neighbors Routing Table

OSPF Neighbor Not Advertising Default RoutesCause: Neighbor Trying to Inject a Default into a Stub Area

OSPF Neighbor Not Advertising Default RoutesCause: NSSA ABR/ASBR Not Originating Type 7 Default

# **Table of Contents**

## **Troubleshooting OSPF Route Installation**

### **Problem: OSPF Not Installing Any Routes in the Routing Table**

- OSPF Not Installing Any Routes in the Routing TableCause: Network Type Mismatch
- OSPF Not Installing Any Routes in the Routing TableCause: IP Addresses Are Flipped in Dual Serial-Connected Routers
- OSPF Not Installing Any Routes in the Routing TableCause: One Side Is a Numbered and the Other Side Is an Unnumbered Point-to-Point Link
- OSPF Not Installing Any Routes in the Routing TableCause: Distribute List Is Blocking the Route Installation
- OSPF Not Installing Any Routes in the Routing TableCause: Broken PVC in a Fully Meshed Frame Relay Network with Broadcast Network Type

### **Problem: OSPF Not Installing External Routes in the Routing Table**

- OSPF Not Installing External Routes in the Routing TableCause: Forwarding Address Is Not Known Through the Intra-Area or Interarea Route
- OSPF Not Installing External Routes in the Routing TableCause: ABR Not Generating Type 4 Summary LSA

## **Troubleshooting Redistribution Problems in OSPF**

### **Problem: OSPF Neighbor Is Not Advertising External Routes**

- OSPF Neighbor Is Not Advertising External RoutesCause: Subnets Keyword Missing from the ASBR Configuration
- OSPF Neighbor Is Not Advertising External RoutesCause: distribute-list out Is Blocking the Routes

## **Troubleshooting Route Summarization in OSPF**

### **Problem: Router Is Not Summarizing Interarea RoutesCause:**

- area range Command Is Not Configured on ABR
- Debugs and Verification
- Solution

### **Problem: Router Is Not Summarizing External RoutesCause:**



# **Table of Contents**

summary-address Command Is Not Configured on ASBR

Debugs and Verification

Solution

Troubleshooting CPUHOG Problems

Problem: CPUHOG Messages During Adjacency FormationCause:  
Router Is Not Running Packet-Pacing Code

Debugs and Verification

Solution

Problem: CPUHOG Messages During LSA Refresh PeriodCause:  
Router Is Not Running LSA Group-Pacing Code

Debugs and Verification

Solution

Troubleshooting Dial-on-Demand Routing Issues in OSPF

Problem: OSPF Hellos Are Bringing Up the LinkCause: OSPF Hellos Are  
Permitted as Interesting Traffic

Debugs and Verification

Solution

Problem: Demand Circuit Keeps Bringing Up the Link

Demand Circuit Keeps Bringing Up the LinkCause: A Link Flap in the  
Network

Demand Circuit Keeps Bringing Up the LinkCause: Network Type Defined  
as Broadcast

Demand Circuit Keeps Bringing Up the LinkCause: PPP Host Routes Are  
Getting Redistributed into the OSPF Database

Demand Circuit Keeps Bringing Up the LinkCause: One of the Routers  
Is Not Demand CircuitCapable

Troubleshooting SPF Calculation and Route Flapping

SPF Running ConstantlyCause: Interface Flap Within the  
Network

# Table of Contents

Debugs and Verification

Solution

SPF Running ConstantlyCause: Neighbor Flap Within the  
Network

Debugs and Verification

Solution

SPF Running ConstantlyCause: Duplicate Router ID

Debugs and Verification

Solution

Common OSPF Error Messages

Unknown routing protocol Error Message

OSPF: Could not allocate router id Error Message

"%OSPF-4-BADLSATYPE: Invalid Isa: Bad LSA type Type 6 Error  
Message

OSPF-4-ERRRCV Error Message

Mismatched Area ID

Bad Checksum

OSPF Not Enabled on the Receiving Interface

## Chapter 10 Understanding Intermediate System-to-Intermediate System (IS-IS)

IS-IS Protocol Overview

IS-IS Routing Protocol

IS-IS Protocol Concepts

IS-IS Nodes, Links, and Areas

Adjacencies

Hierarchical Routing

IS-IS Packets

IS-IS Metrics

# **Table of Contents**

IS-IS Authentication

ISO CLNP Addressing

## **IS-IS Link-State Database**

Overview of the IS-IS Link-State Database

Flooding and Database Synchronization

Shortest Path First (SPF) Algorithm and IS-IS Route Calculation

## **Configuring IS-IS for IP Routing**

Configuring IS-IS on Point-to-Point Serial Links

ATM Configuration Examples

IP Default Route Advertisement

Route Redistribution

IP Route Summarization

## **Summary**

## **Additional IS-IS Packet Information**

IS-IS Packet Fields (Alphabetical Order)

Hello Packets

Link-State Packets

Sequence Number Packets

## **Review Questions**

## **Further Reading**

## **Chapter 11 Troubleshooting IS-IS**

### **Troubleshooting IS-IS Adjacency Problems**

Problem 1: Some or All of the Adjacencies Are Not Coming Up

Problem 2: Adjacency in INIT State

Problem 3: Only ES-IS Adjacency Instead of IS-IS Adjacency Formed

### **Troubleshooting IS-IS Routing Update Problems**

Route Advertisement Problems

Route Redistribution and Level 2toLevel 1 Route-Leaking Problems

Route-Flapping Problem

# **Table of Contents**

IS-IS Errors

CLNS ping and traceroute

Case Study: ISDN Configuration Problem

IS-IS Troubleshooting Command Summary

Summary

## **Chapter 12 Understanding Protocol Independent Multicast (PIM)**

Fundamentals of IGMP Version 1, IGMP Version 2, and Reverse Path Forwarding

IGMP Version 1

IGMP Version 2

Multicast Forwarding (Reverse Path Forwarding)

PIM Dense Mode

PIM Sparse Mode

IGMP and PIM Packet Format

IGMP Packet Format

PIM Packet/Message Formats

Summary

Review Questions

## **Chapter 13 Troubleshooting PIM**

Troubleshooting IGMP Joins

Solution to IGMP Join Problem

Troubleshooting PIM Dense Mode

Solution to PIM Dense Mode Problem

Troubleshooting PIM Sparse Mode

Solution to PIM Sparse Mode Problem

Summary

# **Table of Contents**

## **Chapter 14 Understanding Border Gateway Protocol Version 4 (BGP-4)**

BGP-4 Protocol Specification and Functionality

Neighbor Relationships

External BGP Neighbor Relationships

Internal BGP Neighbor Relationships

Advertising Routes

Synchronization Rule

Receiving Routes

Policy Control

Policy Control Using BGP Attributes

Use of Route Maps in Policy Control

Policy Control Using filter-list, distribute-list, prefix-list, Communities, and  
Outbound Route Filtering (ORF)

Route Dampening

Scaling IBGP in Large NetworksRoute Reflectors and  
Confederations

Route Reflection

AS Confederations

Best-Path Calculation

Summary

Review Questions

## **Chapter 15 Troubleshooting BGP**

Flowcharts to Solve Common BGP Problems

show and debug Commands for BGP-Related Troubleshooting

show ip bgp prefix Command

show ip bgp summary Command

show ip bgp neighbor [address] Command

# **Table of Contents**

show ip bgp neighbors [address] [advertised-routes] Command

show ip bgp neighbors [routes] Command

debug ip bgp update [access-list] Command

debug ip bgp neighbor-ip-address updates [access-list] Command

## **Troubleshooting BGP Neighbor Relationships**

### **Problem: Directly Connected External BGP Neighbors Not Initializing**

Directly Connected External BGP Neighbors Not Coming UpCause: Layer 2 Is Down, Preventing Communication with Directly Connected BGP Neighbor

Directly Connected External BGP Neighbors Not Coming UpCause: Incorrect Neighbor IP Address in BGP Configuration

### **Problem: Nondirectly Connected External BGP Neighbors Not Coming Up**

Nondirectly Connected External BGP Neighbors Not Coming UpCause: Route to the Nondirectly Connected Peer Address Is Missing from the Routing Table

Nondirectly Connected External BGP Neighbors Not Coming UpCause: ebgp-multihop Command Is Missing in BGP Configuration

Nondirectly Connected External BGP Neighbors Not Coming UpCause: update-source interface Command Is Missing

### **Problem: Internal BGP Neighbors Not Coming Up**

### **Problem: BGP Neighbors (External and Internal) Not Coming UpCause: Interface Access List Blocking BGP Packets**

Debugs and Verification

Solution

## **Troubleshooting BGP Route Advertisement/Origination and Receiving**

### **Problem: BGP Route Not Getting Originated**

BGP Route Not Getting OriginatedCause: IP Routing Table Does Not Have a Matching Route

# **Table of Contents**

BGP Route Not Getting OriginatedCause: Configuration Error	
BGP Route Not Getting OriginatedCause: BGP Is Autosummarizing to Classful/Network Boundary	
Debugs and Verification	
Solution	
Problem in Propagating/Originating BGP Route to IBGP/EBGP NeighborsCause: Misconfigured Filters	
Debugs and Verification	
Solution	
Problem in Propagating BGP Route to IBGP Neighbor but Not to EBGP NeighborCause: BGP Route Was from Another IBGP Speaker	
Debugs and Verification	
Solution	
Problem in Propagating IBGP Route to IBGP/EBGP NeighborCause: IBGP Route Was Not Synchronized	
Debugs and Verification	
Solution	
Troubleshooting BGP Route Not Installing in Routing Table	
Problem: IBGP-Learned Route Not Getting Installed in IP Routing Table	
IBGP-Learned Route Not Getting Installed in IP Routing TableCause: IBGP Routes Are Not Synchronized	
IBGP-Learned Route Not Getting Installed in IP Routing TableCause: IBGP Next Hop Not Reachable	
Debugs and Verification	
Solution	
Problem: EBGP-Learned Route Not Getting Installed in IP Routing Table	
EBGP-Learned Route Not Getting Installed in IP Routing TableCause:	

# **Table of Contents**

BGP Routes Are Dampened

EBGP-Learned Route Not Getting Installed in IP Routing TableCause:

BGP Next Hop Not Reachable in Case of Multihop EBGP

EBGP-Learned Route Not Getting Installed in the Routing TableCause: Multiexit

Discriminator (MED) Value Is Infinite

Troubleshooting BGP Route-Reflection Issues

Problem: Configuration MistakesCause: Failed to Configure IBGP

Neighbor as a Route-Reflector Client

Debugs and Verification

Solution

Problem: Route-Reflector Client Stores an Extra BGP UpdateCause:

Client-to-Client Reflection

Debugs and Verification

Solution

Problem: Convergence Time Improvement for RR and

ClientsCause: Use of Peer Groups

Debugs and Verification

Solution

Problem: Loss of Redundancy Between Route Reflectors and

Route-Reflector ClientCause: Cluster List Check in RR Drops

Redundant Route from Other RR

Debugs and Verification

Solution

Troubleshooting Outbound IP Traffic Flow Issues Because of

BGP Policies

Problem: Multiple Exit Points Exist but Traffic Goes Out Through One

or Few Exit RoutersCause: BGP Policy Definition Causes Traffic to

Exit from One Place

Solution



# **Table of Contents**

Problem: Traffic Takes a Different Interface from What Shows  
in Routing TableCause: Next Hop of the Route Is Reachable  
Through Another Path

Debugs and Verification

Solution

Problem: Multiple BGP Connections to the Same BGP Neighbor  
AS, but Traffic Goes Out Through Only One ConnectionCause:  
BGP Neighbor Is Influencing Outbound Traffic by Sending MED  
or Prepend AS\_PATH

Solution

Problem: Asymmetrical Routing Occurs and Causes a Problem  
Especially When NAT and Time-Sensitive Applications Are  
UsedCause: Outbound and Inbound Advertisement

Debugs and Verification

Solution

Troubleshooting Load-Balancing Scenarios in Small BGP  
Networks

Problem: Load Balancing and Managing Outbound Traffic from a  
Single Router When Dualhomed to Same ISPCause: BGP Installs  
Only One Best Path in the Routing Table

Debugs Verification

Solution

Problem: Load Balancing and Managing Outbound Traffic in an IBGP  
NetworkCause: By Default, IBGP in Cisco IOS Software Allows Only a  
Single Path to Get Installed in the Routing Table Even Though Multiple  
Equal BGP Paths Exist

Debugs and Verification

Solution

Troubleshooting Inbound IP Traffic Flow Issues Because of BGP

# Table of Contents

## Policies

Problem: Multiple Connections Exist to an AS, but All the Traffic

Comes in Through One BGP Neighbor, X, in the same AS Cause: Either BGP Neighbor at X Has a BGP Policy Configured to Make Itself Preferred over the Other Peering Points, or the Networks Are Advertised to Attract Traffic from Only X

Debugs and Verification

Solution

Problem: Multiple Connections Exist to Several BGP Neighbors,

but Most of the Traffic from Internet to 100.100.100.0/24

Always Comes in Through One BGP Neighbor from AS 110 Cause:

Route Advertisements for 100.100.100.0/24 in AS 109 Attract Internet Traffic Through That BGP Neighbor in AS 110

Solution

Troubleshooting BGP Best-Path Calculation Issues

Problem: Path with Lowest RID Is Not Chosen as Best

Debugs and Verification

Solution

Problem: Lowest MED Not Selected as Best Path

Debugs and Verification

Solution

Troubleshooting BGP Filtering

Problem: Standard Access List Fails to Capture Subnets

Debugs and Verification

Solution

Problem: Extended Access Lists Fails to Capture the Correct

Masked Route

Debugs and Verification

Solution

# **Table of Contents**

Problem: AS\_PATH Filtering Using Regular Expressions

Summary

Appendix: Answers to Review Questions

Index