



Tcl Scripting for Cisco IOS

A guide to building and modifying Tcl scripts to
automate network administration tasks

Tcl Scripting for Cisco IOS

Ray Blair, CCIE No. 7050
Arvind Durai, CCIE No. 7016
John Lautmann

Cisco Press

800 East 96th Street

Indianapolis, IN 46240

TcL Scripting for Cisco IOS

Table of Contents

Contents

Introduction

Chapter 1 The Origin of Tcl

Tcl and Cisco IOS Software

- Embedded Event Manager and Tcl

- Restriction of Tcl in IOS

- Tcl with EEM Support in IOS

Using Tcl Scripts in the Network

- Troubleshooting Problems

- Monitoring the Network

- Adding Intelligence to Cisco IOS Protocols

Summary

References

Chapter 2 Tcl Interpreter and Language Basics

Simple Variables in Tcl

- Storing Variables

- Viewing Variables

- The append Command

- The incr Command

- Representation of Variables in Tcl

- Lists

Procedures

- for Command

- foreach Command

Table of Contents

while Command

Arrays

if Command

switch Command

Files

Summary

References

Chapter 3 Tcl Functioning in Cisco IOS

Understanding the Tcl Interpreter in Cisco IOS

Using Cisco IOS Exec-Mode Parser in the Tcl Shell

Entering an IOS Command into the Tcl Command Interpreter

Using Tcl to Enter Commands

Copying a Tcl Script to a Cisco IOS Device

Fetching a Cisco IOS Tcl Script from a Remote Device

Using Tcl to Examine the Cisco IOS Device Configuration

Using Tcl to Modify the Router Configuration

Using Tcl with SNMP to Check MIB Variables

Other Uses of SNMP

Enabling SNMP on a Cisco IOS Device

Querying the Configuration of a Cisco IOS Device Using SNMP

Modifying the Configuration of a Cisco IOS Device Using SNMP

Summary

References

Chapter 4 Embedded Event Manager (EEM)

EEM Architecture

Policies

EEM Server

Event Detectors

Table of Contents

Software Release Support for EEM

- Platform and IOS Considerations for EEM

Writing an EEM Applet

- Practical Example of an Event Trigger

- Using Object Tracking as an Event Trigger

- Creating Applet Actions

- Examples of EEM Applets

Using EEM and Tcl Scripts

- Programming Policies with Tcl

- Tcl Example Used to Check for Interface Errors

- Tcl Example Used to Check the CPU Utilization

Summary

References

Chapter 5 Advanced Tcl Operation in Cisco IOS

- Introduction to the Syslog Protocol

- Configuring Syslog Server Parameters in Cisco IOS

- Syslog Tcl Script Example

- Syslog Tcl Script Sample Output

- Sending Syslog Messages to a File

- Syslog Server Script Procedures

- Syslog Server Script Body

- Putting the Syslog Script into Operation

- Introduction to Embedded Syslog Manager

- Filtering Syslog Messages

- ESM Global Variables

- Rebuilding a Syslog Message from Its Components

- Displaying/Adding ESM Tcl Script Filters

- Introduction to Embedded Menu Manager

Table of Contents

Using Tcl as a Web Server

- Obtaining a Free Web Server Application
- Reverse Engineering the Web Server
- Creating Your Own Simple Web Page
- Creating a Web Page Using IOS show Commands
- Adding User Input to the Web Page

Introduction to IP SLA

- Adding the IP SLA Measurement to the Web Page

Tcl Script Refresh Policy

SNMP Proxy Event Detector

Remote-Procedure Call Requests

Multiple-Event Support for Event Correlation

Using the clear Command

Summary

References

Chapter 6 Tcl Script Examples

Creating an Application from Start to Finish

- Determine What You Want to Accomplish
- Creating a Flowchart
- Deciding What the User Interface Should Look Like
- Write the Code in Pseudo-Code
- Before You Begin
- Starting to Program the Application
- Troubleshooting as You Go

Using Tcl to Troubleshoot Network Problems

- Monitoring the Console for Events

Creating a Web Application for Remote SNMP Graphing

Summary

Table of Contents

References

Chapter 7 Security in Tcl Scripts

Introduction to PKI Infrastructure

PKI Prerequisite

Confidentiality with PKI

Digital Signatures with PKI

Using Digital Signatures to Sign a Tcl Script

Step 1: Decide on the Final Tcl Script Contents (Myscript)

Step 2: Generate a Public/Private Key Pair

Step 3: Generate a Certificate with the Key Pair

Step 4: Generate a Detached S/MIME pkcs7 Signature for Myscript Using
the Private Key

Step 5: Modify the Format of the Signature to Match the Cisco Style for Signed
Tcl Scripts and Append It to the End of Myscript

Tcl Script-Failure Scenario

Scaling Tcl Script Distribution

Summary

References

Appendix A: Cisco IOS Tcl Commands Quick Reference

Index